

CT-32DE


SUPERSEDES CT-325

ACETM/MEGA

generator & starter

BUSHINGS

for domestic & import applications



BUYERS GUIDE/BUSHINGS: ACETM

PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.
4200	DEL 35058	.565 x .629 x .750	90/10
4200	DEL 810620		
4200	FRD MCX-203		
4200-S	DEL 810620	.5655 x .629 x .720	SPLIT
4200-S	DEL D-1676		
4200-S	FRD MCX-203		
4200-X	UNDERSIZE FOR 4200	.563 x .629 x .750	90/10
4200-XX	UNDERSIZE FOR 4200	.5605 x .629 x .750	90/10
4200-XXX	UNDERSIZE FOR 4200	.558 x .629 x .750	90/10
4200-XXXX	UNDERSIZE FOR 4200	.5555 x .629 x .750	90/10
4205	DEL	.472 x .519 x .515	90/10
	Used in 5-MT plate assembly 1978292		
4205-C	DEL	.472 x .629 x .515	90/10
	Conversion bushing for 5-MT C.E. plate assembly 1878292, 1893273		
4206	DEL 1962606	.753 x 1.254 x .400	90/10
4216	AMC 3207430	.6295 x .753 x .625	90/10
4216	FRD 18-11052		
4216	FRD MC-170		
4216	FRD MC-5		
4216	FRD MCC-5		
4216	FRD MZ-44-A		
4216	PRS MDC-34		
4216-X	UNDERSIZE FOR 4216	.627 x .753 x .625	90/10
4216-XX	UNDERSIZE FOR 4216	.6245 x .753 x .625	90/10
4216-XXX	UNDERSIZE FOR 4216	.622 x .753 x .625	90/10
4216-XXXX	UNDERSIZE FOR 4216	.6195 x .753 x .625	90/10
4222	DEL 35058	.5635 x .627 x .807	90/10
4222-X	UNDERSIZE FOR 4222	.561 x .627 x .807	90/10
4224	LCN 7129	.628 x .815 x .750	60/40
4225	DEL 1928966	.5645 x .629 x .650	90/10
4225-S	DEL 1928966	.5645 x .628 x .660	SPLIT
4225-X	UNDERSIZE FOR 4225	.562 x .629 x .650	90/10
4237	DEL 820148	.7555 x .815 x .715	90/10
4237	DEL D-1678		
4237-X	UNDERSIZE FOR 4237	.752 x .815 x .715	90/10
4238	DEL 1894023	.757 x .880 x .720	90/10
4242	DEL 1850786	.5635 x .784 x .801	60/40
4242	DEL 812823		
4242	DEL D-1634		
4242	FRD MCX-224		
4242-OS	DEL 1850786	.563 x .7815 x .801	60/40
4242-DS	DEL 812823		
4242-OS	DEL D-1634		
4242-OS	FRD MCX-224		
4242-W	DEL 1927446	.5635 x .784 x .801	60/40
4242-WX	UNDERSIZE FOR 4242-W	.561 x .779 x .797	60/40
4242-X	UNDERSIZE FOR 4242	.561 x .784 x .801	60/40

PART NO.	ORIGINAL NO.	I.O. x O.O. x L.	MAT.
4242-XX	UNDERSIZE FOR 4242	.5585 x .784 x .801	60/40
4244	FRD MAB-53	.626 x .689 x 1.156	90/10
4244	FRD MHB-53		
4244	PRS MAB-53		
4245	FRD B-11135	.6285 x .752 x 1.155	90/10
4245	FRD MC-6		
4245-X	UNDERSIZE FOR 4245	.626 x .752 x 1.155	90/10
4251	FRD D3AZ-11052-A	.628 x .751 x .450	90/10
4252	AMB	.520 x .752 x .473	90/10
	Used in D.E. plate assembly PL551038A		
4258	CHR 652115	.6275 x .753 x .735	90/10
4258	CHR CH-1406		
4258	FRD MCC-23		
4258	PRS MG-77-A		
4258-X	UNDERSIZE FOR 4258	.625 x .753 x .735	90/10
4258-XX	UNDERSIZE FOR 4258	.6225 x .753 x .735	90/10
4259	FRD B-11052	.6405 x .753 x .595	60/40
4259	PRS MZ-40A		
4259-X	UNDERSIZE FOR 4259	.638 x .753 x .595	60/40
4259-XX	UNDERSIZE FOR 4259	.6355 x .753 x .595	60/40
4262	CHR 3676277	.876 x 1.002 x .995	60/40
4262	FRD MCX-21		
4262	PRS 24-21		
4262	PRS ML-21A		
4262	PRS MR-19A		
4264	CHR CH-1405	.5015 x .628 x .740	90/10
4264	DEL 1862383		
4264	FRD FAG-11052-A		
4264	FRD MC-1		
4264	FRD MCC-8		
4264	LUC 220418		
4264	PRS 24-28		
4264	PRS MP-41A		
4264-X	UNDERSIZE FOR 4264	.499 x .628 x .740	90/10
4264-XX	UNDERSIZE FOR 4264	.4965 x .628 x .740	90/10
4264-XXX	UNDERSIZE FOR 4264	.494 x .628 x .740	90/10
4265	DEL 38296	.5035 x .565 x .781	90/10
4265	FRD MCX-207		
4265-S	DEL 1839345	.5035 x .5655 x .620	SPLIT
4265-S	DEL D-1680		
4265-X	UNDERSIZE FOR 4265	.501 x .565 x .781	90/10
4265-XX	UNDERSIZE FOR 4265	.4985 x .565 x .781	90/10
4265-XXX	UNDERSIZE FOR 4265	.496 x .565 x .781	90/10
4267	LCN 6012	.753 x .877 x .750	60/40
4270	FRD GPW-12082	.501 x .627 x 1.000	90/10
4270	FRD IG-579-A		

BUYERS GUIDE / BUSHINGS: ACE™

PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.	PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.
4270	PRS IG-579-A			4337	PRS ML-18-A		
4271	DEL 812410	.624 x .687 x .750	90/10	4347	CHR CH-1436	.5635 x .693 x .725	90/10
4271	DEL D-1617			4347	DEL 811230		
4271	DEL D-1677			4347	PRS GGU-38		
4274	DEL 1838670	.626 x .688 x .625	90/10	4347	PRS GGU-38A		
4274	DEL D-1679			4347-X	UNDERSIZE FOR 4347	.561 x .693 x .725	90/10
4278	FRD GPW-10128-B	.6265 x .752 x .970	90/10	4347-XX	UNDERSIZE FOR 4347	.5585 x .693 x .725	90/10
4278	FRD MCC-3			4349	CHR 2098886	.475 x .600 x .745	90/10
4278	PRS 24-3			4349	CHR 3656382		
4278	PRS GBF-79			4349	CHR CH-1414		
4278	PRS GDZ-109			4350	CHR 2098987	.686 x .819 x .703	90/10
4278-X	UNDERSIZE FOR 4278	.624 x .752 x .970	90/10	4350	CHR CH-1415		
4284	DEL 38273	.541 x .756 x .970	90/10	4351	FRD C4TZ-11052-A	.628 x .751 x .562	90/10
4284	DEL D-1666			4351	FRD C6VY-11135-A		
4284BR	DEL 38273	.541 x .756 x .965	BRONZE	4351	FRD MC-220		
4284BR	DEL D-1666			4353	AMC 1932190	.4785 x .520 x .500	90/10
4284-PF	DEL 38273	.567 x .756 x .970	90/10	4353	DEL 1932190		
4284-PF	DEL D-1666			4353	DEL D-1688		
4286	DEL 826462	.540 x .753 x .845	60/40	4353-X	UNDERSIZE FOR 4353	.476 x .520 x .500	90/10
4286	DEL D-1667			4360	LUC 251477	.500 x .625 x .500	90/10
4288	DEL 1976047	.567 x .775 x 1.000	90/10	4361	FRD	.471 x .629 x .390	90/10
4289	FRD MC-426	.567 x .755 x 1.000	90/10		To replace needle bearing		
4290	DEL 1972787	.691 x .900 x 1.120	90/10	4362	RBS 1-000-301-011	.473 x .633 x .625	90/10
4291	DEL 1975599	.629 x .774 x .8805	90/10	4366	RBS 1-000-301-021	.435 x .534 x .550	90/10
4292	DEL 1984268	.478 x .596 x .625	90/10	4368	LUC 253316	.751 x .815 x .704	60/40
4300	FRD 01A-10128	.673 x .795 x .790	60/40	4370	RBS 1-000-301-012	.472 x .633 x .540	60/40
4300	FRD 78-10128			4371	LUC 54244773 (KIT)	.749 x .875 x .776	60/40
4300	FRD GE-1			4371	D.E. Bushing		
4307	DEL D-1689	.462 x .633 x .810	60/40	4372	LUC 5424773 (KIT)	.438 x .623 x .500	60/40
4307	DEL 1862383			4372	C.E. Bushing		
4309	DEL 1869755	.667 x .879 x 1.125	90/10	4381	FRD C5NF-11052-A	.500 x .753 x .554	90/10
4309-PF	DEL 1894638	.690 x .879 x 1.120	90/10	4381	LUC 54243853		
4310	DEL 1864532	.555 x .689 x .780	90/10	4382	FRD C5NF-11135-B	1.122 x 1.249 x .512	90/10
4310	DEL 1872678			4383	FRD C5NF-11448-B	.670 x .828 x .875	60/40
4310	DEL 1891927			4383	LUC 5424385		
4310BR	DEL 1864532	.555 x .689 x .784	BRONZE	4401	FRD 1CM-11135-A	.628 x .815 x 1.453	60/40
4310BR	DEL 1872678			4401	FRD C0AF-11135-A		
4310BR	DEL 1891927			4401	FRD MC-10		
4310PF	DEL 1864532	.565 x .689 x .775	90/10	4402	FRD 19B-11135	.629 x .815 x 1.750	60/40
4310PF	DEL 1872678			4402	FRD MC-11		
4310PF	DEL 1891927			4408	PRS MCH-53	.627 x .752 x .460	60/40
4316	PRS 24-15	.531 x .657 x .940	60/40	4413	AMC 1923907	.4735 x .520 x .718	90/10
4316	PRS MAL-40A			4413	AMC 3119548		
4337	FRD MCX-20	.749 x .878 x .860	60/40	4413	AMC 8101		
4337	PRS 24-20			4413	DEL 1923907		

BUYERS GUIDE/BUSHINGS: ACE™

PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.	PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.
4413	DEL D-1682			4451	FRD C0DZ-11135-A		
4413	FRD MCG-217			4451	FRD MC-12		
4413-S	AMC 1923907	.473 x .520 x .720	SPLIT	4451-S	AMC 3207421	.4725 x .517 x .805	SPLIT
4413-S	AMC 3119548			4451-S	FRD C0DZ-11135-A		
4413-S	AMC 8101			4451-S	FRD MC-12		
4413-S	DEL 1923907			4451-X	UNDERSIZE FOR 4451	.471 x .517 x .805	90/10
4413-S	DEL D-1682			4451-XX	UNDERSIZE FOR 4451	.4685 x .517 x .805	90/10
4413-S	FRD MCG-217			4452	PRS MDU-34	.473 x .595 x .985	60/40
4413-X	UNDERSIZE FOR 4413	.471 x .520 x .718	90/10	4453	DUC 2430123	.393 x .515 x .470	60/40
4413-XX	UNDERSIZE FOR 4413	.4685 x .520 x .718	90/10	4454	DUC 47403	.672 x .828 x .788	60/40
4413-XXX	UNDERSIZE FOR 4413	.466 x .520 x .718	90/10	4459	LUC 250641	.754 x .878 x .800	60/40
4413-XXXX	UNDERSIZE FOR 4413	.4635 x .520 x .718	90/10	4460	LUC 239263	.625 x .750 x .1.220	60/40
4420	PRS MAW-103	.628 x .753 x .672	60/40	4462	LUC 271733	1.002 x 1.127 x .686	60/40
4420	PRS MAW-130			4464	FIA 672541	.389 x .553 x .530	60/40
4422	AMC 3202485	.4725 x .596 x .716	90/10	4466	FRD B9AF-11135-A	.627 x .814 x .700	90/10
4422	AMC 931672			4466	FRD MC-9		
4422	CHR CH-1407			4467	AMC 8127999	.6275 x .687 x .557	90/10
4422	CHR CH-1410			4467	FRD C2DF-11052-A		
4422	FRD MC-244			4467	FRD MC-93		
4422	FRD MC-3			4467-X	UNDERSIZE FOR 4467	.625 x .687 x .557	90/10
4422	FRD MCC-301			4468	DEL 1972274	.473 x .516 x .615	90/10
4422	FRD MCC-31			4468	FRD C2DF-11135-A		
4422	PRS MD-34			4470	CHR 2095078	.7445 x .877 x .590	90/10
4422	PRS MDD-34			4470	CHR 2095242		
4422-X	UNDERSIZE FOR 4422	.470 x .596 x .716	90/10	4470	FRD MC-301		
4422-XX	UNDERSIZE FOR 4422	.4675 x .596 x .716	90/10	4470-X	UNDERSIZE FOR 4470	.742 x .877 .590	90/10
4426	CHR CH-1438	.671 x .800 x .718	60/40	4471	CHR 2098987	.687 x .814 x .695	90/10
4426	PRS 24-9			4471	CHR CH-1411		
4426	PRS GJC-38-A			4472	CHR 1889907	.470 x .596 x .707	90/10
4430	LUC 220258	.595 x .713 x .750	60/40	4473	CHR 2095410	.473 x .596 x .750	90/10
4432	LUC 250626	.500 x .625 x .765	60/40	4473	CHR 2098986		
4433	LUC 250678	.7525 x .814 x .805	60/40	4473	CHR CH-1409		
4433-X	UNDERSIZE FOR 4433	.750 x .814 x .805	60/40	4473	FRD MCC-300		
4434	LUC 255491	.628 x .752 x .750	60/40	4473-X	UNDERSIZE FOR 4473	.4705 x .596 x .750	90/10
4436	LUC 256112	.502 x .564 x .685	60/40	4473-XX	UNDERSIZE FOR 4473	.468 x .596 x .750	90/10
4437	LUC 270038	.877 x 1.002 x 1.328	60/40	4474	DEL	.467 x .564 x .745	60/40
4441-PF	DEL 1921660	1.120 x 1.255 x 1.250	90/10		Conversion Bushing converts most 6 volt D.E. Housings to 12 volt		
4441-PF	DEL D-1673			4478	DEL 1943580	.750 x .938 x .885	90/10
4442	RBS 1-000-301-001	.492 x .649 x .450	60/40	4478	DEL 1964083		
4443	RBS 1-000-301-002	.494 x .651 x .452	60/40	4478	DEL 1972507		
4443-X	UNDERSIZE FOR 4443	.4915 x .651 x .452	60/40	4478	DEL D-1672		
4446	LUC 227713	.594 x .713 x .873	60/40	4480	DEL 1943628	.562 x .752 x .750	90/10
4446	LUC 227818			4480	DEL 1955991		
4450	PRS MZ-364	.500 x .690 x .735	60/40	4480	DEL 1955994		
4451	AMC 3207421	.4735 x .517 x .805	90/10	4480	DEL D-1684		
				4480	FRD MLX-240		

BUYERS GUIDE/BUSHINGS: ACE™

PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.	PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.
4480BR	DEL 1943628	.547 x .752 x .750	BRONZE	4601	NPD 028403-0082	.4955 x .583 x .552	90/10
4480BR	DEL 1955994			4601	NPD 949103-1320		
4481	DEL 1945509	.626 x .756 x .861	90/10	4601-X	UNDERSIZE FOR 4601	.493 x .583 x .555	90/10
4481BR	DEL 1945509	.626 x .756 x .861	BRONZE	4602	THK 44-2920	.556 x .710 x .787	90/10
4481-PF	DEL 1945509	.630 x .756 x .859	90/10	4603	THK 44-2919	.596 x .789 x .610	90/10
4483	DEL 1942258	.626 x .755 x .780	90/10	4604	HIT 2120-4401	.806 x 1.046 x .480	90/10
4483-PF	DEL 1942258	.625 x .756 x .752	90/10	4604	THK 44-2933		
4484	DEL 1933999	.733 x .889 x .750	90/10	4605	TOY 02842-0321	.905 x 1.027 x .340	90/10
4484BR	DEL 1933999	.738 x .890 x .760	BRONZE	4606	DAT 23341-10600	.6925 x .789 x .291	90/10
4484-PF	DEL 1933999	.757 x .890 x .750	90/10	4606	DAT 23441-10600		
4485BR	DEL 1894637	.830 x .964 x 1.250	BRONZE	4606	DAT 23641-10600		
4485BR	DEL 1923454			4606	HIT 2114-1452		
4485BR	DEL 1923484			4606	LUC 36521101		
4485-PF	DEL 1894637	.835 x .965 x 1.250	90/10	4606-X	UNDERSIZE FOR 4606	.690 x .789 x .291	90/10
4485-PF	DEL 1923454			4607	DAT 23338-09900	.4535 x .592 x .552	90/10
4485-PF	DEL 1923484			4607	HIT 2106-1601		
4487	DEL 1938596	.761 x .962 x .495	60/40	4607	LUC 36521154		
4488	DEL 1942995	.817 x 1.001 x 1.182	60/40	4607-X	UNDERSIZE FOR 4607	.451 x .592 x .552	90/10
4489-PF	DEL 1938754	.783 x .974 x 1.125	90/10	4608	DAT 23319-10600	.512 x .629 x .730	90/10
4491	AMC 8120030	.473 x .595 x .400	90/10	4608	HIT 2114-1661		
4491	FRD D0AZ-11135-A			4608	HIT 2114-5601		
4491	FRD D0AZ-11135-B			4608	LUC 36521153		
4491	FRD MC-206			4608-X	UNDERSIZE FOR 4608	.4535 x .629 x .730	90/10
4491	FRD MC-209			4609	DAT 23338-21000	.453 x .592 x .510	90/10
4492	PRS 24-72	.750 x .877 x 1.000	90/10	4609	DAT 23338-E6800		
4492	PRS MFY-36			4609	HIT 2114-1352		
4494		.471 x .629 x .750	90/10	4609	HIT 2114-1552		
	This bushing is used to salvage drive housings with worn egg-shaped hole.			4609	HIT 2114-3352		
4495	DEL 1988096	.837 x .9604 x .980	90/10	4609	HIT 2114E-6800		
4496	DEL 1985234	.8875 x 1.011 x .980	90/10	4609	LUC 36521102		
4497	DEL 1984530	.474 x .600 x .500	90/10	4609	LUV 9402-1413		
4497-X	UNDERSIZE FOR 4497	.4715 x .600 x .500	90/10	4609-X	UNDERSIZE FOR 4609	.451 x .592 x .515	90/10
4498	DEL 1894635	.753 x .6275 x .861	90/10	4610	DAT 23319-21000	.433 x .592 x .591	90/10
4600	CHR MD604062	.493 x .651 x .405	90/10	4610	DAT 23319-E6800		
4600	CHR MD604066			4610	HIT 2114-3661		
4600	FRD D27Z-11052-A			4610	HIT 2114-6601		
4600	FRD D27Z-11135-A			4610	LUC 36521137		
4600	FRD MCE-219			4610	LUC 36521155		
4600	LUC 36520035			4610	LUV 9402-1412		
4600	LUC 36520076			4611	DAT	.512 x .632 x .730	60/40
4600	MAZ 0114-18-557A				For early unit .632 O.D. is required		
4600	MAZ 0290-24-841A			4626	LUC 36522041	.947 x 1.064 x .667	90/10
4600	NPD 949103-0390			4626	MAZ 0820-24-707		
4600	TOY 28111-51011			4626	MIT M4100-00271		
4600	TOY 90099-10028			4627	LUC 36522040	.561 x .679 x .510	90/10
4600	TOY 90099-20010			4627	MAZ 0222-24-741		

BUYERS GUIDE/BUSHINGS: ACE™

PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.
4627	MIT M410D-30171		
4628	ISU 5-81119-007-0	.659 x .748 x .789	90/10
4628	JOD R-50891		
4628	NPD 028403-0070		
4628-PF	ISU 5-81119-007-0	.680 x .748 x .789	90/10
4628-PF	JOD R-50891		
4628-PF	NPD 028403-0070		
4629	JOD R-51665	1.186 x 1.381 x .911	90/10
4629	NPD 949103-2420		
4630	JOD T-11743	.662 x .752 x .755	90/10
4631	COLT	.672 x .786 x .312	90/10
	Intermediate Bushing.		
4631	MAZ		
	Intermediate Bushing.		
4632	CHR MD602686	.435 x .512 x .507	90/10
4632	LUC 36522075		
4632	MAZ 0426-24-715		
4632	MAZ 0426-24-715A		
4632	MIT M410D-11271		
4632	MIT M410D-12171		
4632	MIT M420D-12071		
4633	DAT 23338-H3300	.492 x .632 x .472	90/10
4633	DAT 23338-N3300		
4633	HIT 2114-5352		
4633	LUC 36521221		
4634	DAT 23319-N3300	.492 x .632 x .591	90/10
4634	HIT 2114-4661		
4634	LUC 36521220		
4636	PAR 30 828A	.553 x .711 x .625	90/10
4637	PAR 95.654A	.787 x .946 x .625	90/10
4640	RBS 2-000-301-000	.494 x .651 x .700	90/10
4640	THK 44-1146		
4641	RBS 2-000-301-002	.751 x .987 x .390	90/10
4641	THK 44-1443		
4642	RBS 2-000-301-009	.552 x .691 x .578	90/10
4642	THK 44-1149		
4644	RBS 2-000-301-019	.492 x .652 x .620	90/10
4650	FIA 672541	.393 x .553 x .530	90/10
4651	FIA 4114442	.393 x .550 x .586	90/10
4652	FIA 4097985	.473 x .633 x .970	90/10
4653	FIA 4007952	.473 x .633 x .587	90/10
4653	FIA 4114431		
4654	PAR 51.914B	.474 x .593 x .582	90/10
4655	PAR 47.852E	.552 x .710 x .781	90/10
4656	PAR 96.485 (KIT)	.629 x .754 x .585	90/10
4660	RBS 2-000-301-013	.395 x .554 x .504	90/10
4661	LUC 54244773 (KIT)	.750 x .875 x .800	90/10

PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.
4661	LUC 54244773 (KIT)	.937 x .622 x .497	90/10
4664	RBS 1-000-301-013	1.028 x 1.185 x .345	90/10
4670	RBS 2-000-301-036	.475 x .553 x .545	60/40
4671	RBS 1-000-301-022	.696 x .851 x .369	60/40
4672	RBS 1-000-206-003	.638 x .840 x .365	NYLON
4673	PAR 97.726	.474 x .593 x .465	90/10
4673	PAR 97.726D		
4675	NPD	.434 x .522 x .550	90/10
	Used in D.E. Housing 5213309		
4676	RBS 2-000-301-041	.750 x .9085 x .510	60/40
4677	RBS 2-000-301-043	.552 x .711 x .550	60/40
4680	CHR MD607741	.4345 x .552 x .507	90/10
4681	CHR MD607903	.473 x .6315 x .369	90/10
4682	CHR MD602213	.5605 x .6795 x .369	60/40
4683	CHR MD607892	.3955 x .552 x .487	90/10
4684	CHR 5227127	.3955 x .5535 x .381	90/10
4685	CHR 5227116	.436 x .496 x .440	60/40
4685	RBS 1-000-301-032		
4686	CHR 5006611	.475 x .555 x .465	90/10
4686	RBS 2-000-301-023		
4700	PRS 24-73	.690 x .816 x .659	90/10
4700	PRS MDH-30		
4701	PRS 24-79	.690 x .816 x .500	90/10
4701	PRS MD0-17		
4702	PRS 24-78	.752 x .879 x .620	90/10
4702	PRS MGL-17		
4703	PRS 24-45	.377 x .502 x .500	90/10
4703	PRS MDH-41		

BUYERS GUIDE/BUSHINGS: MEGA

PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.	PART NO.	ORIGINAL NO.	I.O. X O.O. X L.	MAT.
MEG-S-0339-B	AMC 1923907	.4735 x .520 x .718	90/10	MEG-S-1846	RBS 1-000-301-001	.492 x .649 x .450	60/40
MEG-S-0339-B	AMC 3119548			MEG-S-1847	RBS 1-000-301-002	.494 x .651 x .452	60/40
MEG-S-0339-B	AMC 8101			MEG-S-1848	RBS WMB-6511-86X	.593 x .711 x .798	60/40
MEG-S-0339-B	DEL 1923907			MEG-S-1851	RBS 1-000-301-012	.472 x .633 x .540	60/40
MEG-S-0339-B	DEL D-1682			MEG-S-1855	FIA 672541	.389 x .553 x .530	60/40
MEG-S-0339-B	FRD MCG-217			MEG-S-1869	DUC 47403	.672 x .828 x .788	60/40
MEG-S-0339X-B	UNDERSIZE FOR MEG-S-0339-B	.471 x .520 x .718	90/10	MEG-S-1876	LUC 253316	.751 x .815 x .704	60/40
MEG-S-0347-B	AMC 3207421	.4735 x .517 x .805	90/10	MEG-S-1877	LUC 220258	.595 x .713 x .750	60/40
MEG-S-0347-B	FRD CODZ-11135-A			MEG-S-1878	LUC 250626	.500 x .625 x .765	60/40
MEG-S-0347-B	FRD MC-12			MEG-S-1879	LUC 250678	.752 x .814 x .805	60/40
MEG-S-0347X-B	UNDERSIZE FOR MEG-S-0347-B	.471 x .517 x .805	90/10	MEG-S-1880	LUC 255491	.628 x .752 x .750	60/40
MEG-S-0400-B	DEL 1928966	.5645 x .629 x .650	90/10	MEG-S-1883	LUC 227713	.594 x .713 x .873	60/40
MEG-S-0400X-B	DEL 35058	.565 x .629 x .750	90/10	MEG-S-1883	LUC 227818		
MEG-S-0400X-B	DEL 810620			MEG-S-1884	LUC 239263	.625 x .750 x 1.220	60/40
MEG-S-0400X-B	FRD MCX-203			MEG-S-2108	DEL 1988096	.837 x .9604 x .980	90/10
MEG-S-0400SP	DEL 35058	.5655 x .629 x .720	SPLIT	MEG-S-2139	DEL 1894635	.753 x .6275 x .861	90/10
MEG-S-0400SP	DEL 810620			MEG-S-2204-B	DEL 1869755	.667 x .879 x 1.125	90/10
MEG-S-0400SP	DEL D-1676			MEG-S-3212-B	DEL 1972274	.473 x .516 x .615	90/10
MEG-S-0400SP	FRD MCX-203			MEG-S-3212-B	FRD C2DF-11135-A		
MEG-S-0459	FRD B-11052	.6405 x .753 x .595	60/40	MEG-S-3214-B	AMC 8127999	.627 x .687 x .557	90/10
MEG-S-0459	PRS MZ-40A			MEG-S-3214-B	FRD C2DF-11052-A		
MEG-S-0484-B	DEL 38273	.567 x .756 x .970	90/10	MEG-S-3214-B	FRD MC-93		
MEG-S-0484-B	DEL D-1666			MEG-S-3434-B	CHR 2095410	.473 x .596 x .750	90/10
MEG-S-0495-B	PRS MCH-53	.627 x .752 x .460	90/10	MEG-S-3434-B	CHR 2098986		
MEG-S-0499-B	AMC 3207430	.6295 x .753 x .625	90/10	MEG-S-3434-B	CHR CH-1409		
MEG-S-0499-B	FRD 18-11052			MEG-S-3434-B	FRD MCC-300		
MEG-S-0499-B	FRD MC-170			MEG-S-3435-B	CHR 2095078	.744 x .877 x .590	90/10
MEG-S-0499-B	FRD MC-5			MEG-S-3435-B	CHR 2095242		
MEG-S-0499-B	FRD MCC-5			MEG-S-3435-B	FRD MC-301		
MEG-S-0499-B	FRD MZ-44-A			MEG-S-3436-B	CHR 2098987	.687 x .814 x .695	90/10
MEG-S-0499-B	PRS MDC-34			MEG-S-3436-B	CHR CH-1411		
MEG-S-0499X-B	UNDERSIZE FOR MEG-S-0499-B	.627 x .753 x .625	90/10	MEG-S-3561-B	DEL 1943580	.750 x .938 x .885	90/10
MEG-S-0880	FRD 1CM-11135-A	.628 x .815 x 1.453	60/40	MEG-S-3561-B	DEL 1964083		
MEG-S-0880	FRD COAF-11135-A			MEG-S-3561-B	DEL 1972507		
MEG-S-0880	FRD MC-10			MEG-S-3561-B	DEL D-1672		
MEG-S-0889	AMC 1923907	.473 x .520 x .720	SPLIT	MEG-S-3564-B	DEL 1945509	.626 x .756 x .861	90/10
MEG-S-0889	AMC 3119548			MEG-S-3566-B	DEL 1942258	.625 x .756 x .752	90/10
MEG-S-0889	AMC 8101			MEG-S-3567-B	DEL 1933999	.749 x .890 x .752	90/10
MEG-S-0889	DEL 1923907			MEG-S-3568-B	DEL 1894637	.830 x .964 x 1.250	90/10
MEG-S-0889	DEL D-1682			MEG-S-3568-B	DEL 1923454		
MEG-S-0889	FRD MCG-217			MEG-S-3568-B	DEL 1923484		
MEG-S-1808	HIT D.E. Bushing	.492 x .633 x .595	60/40	MEG-S-4349-B	CHR 2098886	.475 x .600 x .745	90/10
MEG-S-1841	RBS 2-000-301-141	.653 x .770 x .750	60/40	MEG-S-4349-B	CHR 3656382		
MEG-S-1842	RBS 2-000-301-001	.553 x .692 x .656	60/40	MEG-S-4349-B	CHR CH-1414		
MEG-S-1843	RBS 1-000-301-000	.494 x .651 x .620	60/40	MEG-S-4350-B	CHR CH-1415	.686 x .819 x .703	90/10

BUYERS GUIDE / BUSHINGS: MEGA

PART NO.	ORIGINAL NO.	I.D. X O.D. X L.	MAT.	PART NO.	ORIGINAL NO.	I.D. X O.D. X L.	MAT.
MEG-S-4350-B	CHR 2098987			MEG-S-4491-B	AMC 8120030	473 x .595 x 400	90/10
MEG-S-4353-B	AMC 1932190	476 x .520 x .500	90/10	MEG-S-4491-B	FRD D0AZ-11135-A		
MEG-S-4353-B	DEL 1932190			MEG-S-4491-B	FRD D0AZ-11135-B		
MEG-S-4353-B	DEL D-1688			MEG-S-4491-B	FRD MC-206		
MEG-S-4361-B	FRD	471 x .629 x .390	90/10	MEG-S-4491-B	FRD MC-209		
	To replace needle bearing						
MEG-S-4480-B	DEL 1943628	.562 x .752 x .750	90/10	MEG-S-5114-B	DEL	.472 x .629 x .515	90/10
MEG-S-4480-B	DEL 1955991				Conversion bushing for 5-MT plate assembly 1878292. 1893273		
MEG-S-4480-B	DEL 1955994						
MEG-S-4480-B	DEL D-1684						
MEG-S-4480-B	FRD MLX-240						

CROSS REFERENCE / OEM TO ACE / MEGA

AMERICAN MOTORS	ACE / MEGA PART NO.	CHRYSLER	ACE / MEGA PART NO.	DATSUN	ACE / MEGA PART NO.
*1923907	4413	2098886	4349	*23319-10600	4608
1923907	4413-S	2098886	MEG-S-4349-B	23319-21000	4610
*1923907	MEG-S-0339-B	*2098986	4473	23319-E6800	4610
1923907	MEG-S-0889	2098986	MEG-S-3434-B	23319-N3300	4634
1932190	4353	2098987	4350	*23338-09900	4607
*1932190	MEG-S-4353-B	2098987	4471	*23338-21000	4609
*3119548	4413	2098987	MEG-S-3436-B	*23338-E6800	4609
3119548	4413-S	2098987	MEG-S-4350-B	23338-H3300	4633
*3119548	MEG-S-0339-B	3656382	4349	23338-N3300	4633
3119548	MEG-S-0889	3656382	MEG-S-4349-B	*23341-10600	4606
*3202485	4422	3676277	4262	*23441-10600	4606
*3207421	4451	5006611	4686	*23641-10600	4606
3207421	4451-S	5227116	4685		
*3207421	MEG-S-0347-B	5227127	4684		
*3207430	4216	*652115	4258		
*3207430	MEG-S-0499-B	*CH-1405	4264		
*8101	4413	*CH-1406	4258		
8101	4413-S	*CH-1407	4422	1838670	4274
*8101	MEG-S-0339-B	*CH-1409	4473	1839345	4265-S
8101	MEG-S-0889	CH-1409	MEG-S-3434-B	*1850786	4242
8120030	4491	*CH-1410	4422	1850786	4242-DS
8120030	MEG-S-4491-B	CH-1411	4471	1862383	4264
*8127999	4467	CH-1411	MEG-S-3436-B	*1862383	4307
8127999	MEG-S-3214-B	CH-1414	4349	1864532	4310
*931672	4422	CH-1414	MEG-S-4349-B	1864532	4310BR
		CH-1415	4350	1864532	4310PF
		CH-1415	MEG-S-4350-B	1869755	4309
		*CH-1436	4347	1869755	MEG-S-2204-B
		CH-1438	4426	1872678	4310
		MD602213	4682	1872678	4310BR
		MD602686	4632	1872678	4310PF
		MD604062	4600	1891927	4310
		MD604066	4600	1891927	4310BR
		MD607741	4680	1891927	4310PF
		MD607892	4683	1894023	4238
		MD607903	4681	1894635	4498
				1894635	MEG-S-2139

* Available in Undersize

CROSS REFERENCE/OEM TO ACE/MEGA

[illegible]

* Available in Undersize

CROSS REFERENCE/OEM TO ACE/MEGA

FORO	ACE / MEGA PART NO.	HITACHI	ACE / MEGA PART NO.	LUCUS	ACE / MEGA PART NO.
* MC-170	4216	*2114-1661	4608	271733	4462
* MC-170	MEG-S-0499-B	*2114-3352	4609	36520035	4600
MC-206	4491	2114-3661	4610	36520076	4600
MC-206	MEG-S-4491-B	2114-4661	4634	*36521101	4606
MC-209	4491	2114-5352	4633	*36521102	4609
MC-209	MEG-S-4491-B	*2114-5601	4608	36521137	4610
MC-220	4351	2114-6601	4610	*36521153	4608
* MC-244	4422	*2114E-6800	4609	*36521154	4607
* MC-3	4422	2120-4401	4604	36521155	4610
* MC-301	4470			36521220	4634
MC-301	MEG-S-3435-B			36521221	4633
MC-426	4289			36522040	4627
* MC-5	4216			36522041	4626
* MC-5	MEG-S-0499-B			36522075	4632
* MC-6	4245	5-81119-007-0	4628	54243853	4383
MC-9	4466	5-81119-007-0	4628-PF	54243853	4381
* MC-93	4467			54244773 (KIT)	4371
MC-93	MEG-S-3214-B			54244773 (KIT)	4661
* MCC-23	4258			54244773 (KIT)	4661
* MCC-3	4278			54244773 (KIT)	4372
* MCC-300	4473	R-50891	4628		
MCC-300	MEG-S-3434-B	R-50891	4628-PF		
* MCC-301	4422	R-51665	4629		
* MCC-31	4422	T-11743	4630		
* MCC-5	4216			9402-1412	4610
* MCC-5	MEG-S-0499-B			*9402-1413	4609
* MCC-8	4264				
MCE-219	4600				
* MCG-217	4413				
MCG-217	4413-S	6012	4267		
* MCG-217	MEG-S-0339-B	7129	4224		
MCG-217	MEG-S-0889				
MCX-20	4337				
* MCX-203	4200			0114-18-557A	4600
MCX-203	4200-S			0222-24-741	4627
MCX-203	MEG-S-0400SP	220258	4430	0290-24-841A	4600
MCX-203	MEG-S-0400X-B	220258	MEG-S-1877	0426-24-715	4632
* MCX-207	4265	*220418	4264	0426-24-715A	4632
MCX-21	4262	227713	4446	0820-24-707	4626
* MCX-224	4242	227713	MEG-S-1883		
MCX-224	4242-DS	227818	4446		
MHB-53	4244	227818	MEG-S-1883	M410D-00271	4626
MLX-240	4480	239263	4460	M410D-11271	4632
MLX-240	MEG-S-4480-B	239263	MEG-S-1884	M410D-12171	4632
* MZ-44-A	4216	250626	4432	M410D-30171	4627
* MZ-44-A	MEG-S-0499-B	250626	MEG-S-1878	M420D-12071	4632
		250641	4459		
		*250678	4433		
		250678	MEG-S-1879		
		251477	4360		
		253316	4368		
		253316	MEG-S-1876	028403-0070	4628
		255491	4434	028403-0070	4628-PF
*2106-1601	4607	255491	MEG-S-1880	*028403-0082	4601
*2114-1352	4609	256112	4436	949103-0390	4600
*2114-1452	4606	270038	4437	*949103-1320	4601
*2114-1552	4609			949103-2420	4629

* Available in Undersize

CROSS REFERENCE/OEM TO ACE/MEGA

PARIS RHONE	ACE/MEGA PART NO.	ROBERT BOSCH	ACE/MEGA PART NO.
30.828A	4636	1-000-206-003	4672
47.852E	4655	1-000-301-000	MEG-S-1843
51.914B	4654	1-000-301-001	4442
95.654A	4637	1-000-301-001	MEG-S-1846
96.485 (KIT)	4656	1-000-301-002	4443
97.726	4673	1-000-301-002	MEG-S-1847
97.726D	4673	1-000-301-011	4362
		1-000-301-012	4370
		1-000-301-012	MEG-S-1851
		1-000-301-013	4664
		1-000-301-021	4366
		1-000-301-022	4671
		1-000-301-032	4685
		2-000-301-000	4640
		2-000-301-001	MEG-S-1842
		2-000-301-002	4641
		2-000-301-009	4642
		2-000-301-013	4660
		2-000-301-019	4644
		2-000-301-023	4686
		2-000-301-036	4670
		2-000-301-041	4676
		2-000-301-043	4677
		2-000-301-141	MEG-S-1841
		WMB-6511-86X	MEG-S-1848
PRESTOLITE		THERMO KING	
24-15	4316	44-1146	4640
24-20	4337	44-1149	4642
24-21	4262	44-1443	4641
*24-28	4264	44-2919	4603
*24-3	4278	44-2920	4602
24-45	4703	44-2933	4604
24-72	4492		
24-73	4700		
24-78	4702		
24-79	4701		
24-9	4426		
*GBF-79	4278		
*GDZ-109	4278		
*GGU-38	4347		
*GGU-38A	4347		
GJC-38A	4426		
IG-579-A	4270		
MAB-53	4244		
MAL-40A	4316		
MAW-103	4420		
MAW-130	4420		
MCH-53	4408		
MCH-53	MEG-S-0495-B		
*MD-34	4422		
*MDC-34	4216		
*MDC-34	MEG-S-0499-B		
*MDD-34	4422		
MDH-30	4700		
MDH-41	4703		
MDO-17	4701		
MDU-34	4452		
MFY-36	4492		
*MG-77-A	4258		
MGL-17	4702		
ML-18-A	4337		
ML-21A	4262		
*MP-41A	4264		
MR-19A	4262		
MZ-364	4450		
*MZ-40-A	4259		
MZ-40-A	MEG-S-0459		
		TOYOTA	
		02842-0321	4605
		28111-51011	4600
		90099-10028	4600
		90099-20010	4600

*Available in Undersize

QUICK REFERENCE/INSIDE DIAMETER

I.D.	O.D.	LGTH.	MAT.	PART NO.	I.D.	O.D.	LGTH.	MAT.	PART NO.
.377	.502	.500	90/10	4703	.473	.520	.720	Split	MEG-S-0889
.389	.553	.530	60/40	4464	.473	.595	.985	60/40	4452
.389	.553	.530	60/40	MEG-S-1855	.473	.595	.400	90/10	4491
.393	.515	.470	60/40	4453	.473	.595	.400	90/10	MEG-S-4491-B
.393	.550	.586	90/10	4651	.473	.596	.750	90/10	4473
.393	.553	.530	90/10	4650	.473	.596	.750	90/10	MEG-S-3434-B
.395	.554	.504	90/10	4660	.473	.6315	.369	90/10	4681
.3955	.552	.487	90/10	4683	.473	.633	.625	90/10	4362
.3955	.5535	.381	90/10	4684	.473	.633	.970	90/10	4652
.433	.592	.591	90/10	4610	.473	.633	.587	90/10	4653
.434	.522	.550	90/10	4675	.4735	.517	.805	90/10	4451
.4345	.552	.507	90/10	4680	.4735	.517	.805	90/10	MEG-S-0347-B
.435	.512	.507	90/10	4632	.4735	.520	.718	90/10	4413
.435	.534	.550	90/10	4366	.4735	.520	.718	90/10	MEG-S-0339-B
.436	.496	.440	60/40	4685	.474	.593	.582	90/10	4654
.438	.623	.500	60/40	4372	.474	.593	.465	90/10	4673
.451	.592	.515	90/10	4609-X	.474	.600	.500	90/10	4497
.451	.592	.552	90/10	4607-X	.475	.553	.545	60/40	4670
.453	.592	.510	90/10	4609	.475	.555	.465	90/10	4686
.4535	.592	.552	90/10	4607	.475	.600	.745	90/10	4349
.4535	.629	.730	90/10	4608-X	.475	.600	.745	90/10	MEG-S-4349-B
.462	.633	.810	60/40	4307	.476	.520	.500	90/10	4353-X
.4635	.520	.718	90/10	4413-XXXX	.476	.520	.500	90/10	MEG-S-4353-B
.466	.520	.718	90/10	4413-XXX	.478	.596	.625	90/10	4292
.467	.564	.745	60/40	4474	.4785	.520	.500	90/10	4353
.4675	.596	.716	90/10	4422-XX	.4915	.651	.452	60/40	4443-X
.468	.596	.750	90/10	4473-XX	.492	.632	.472	90/10	4633
.4685	.517	.805	90/10	4451-XX	.492	.632	.591	90/10	4634
.4685	.520	.718	90/10	4413-XX	.492	.633	.595	60/40	MEG-S-1808
.470	.596	.707	90/10	4472	.492	.649	.450	60/40	4442
.470	.596	.716	90/10	4422-X	.492	.649	.450	60/40	MEG-S-1846
.4705	.596	.750	90/10	4473-X	.492	.652	.620	90/10	4644
.471	.517	.805	90/10	4451-X	.493	.583	.555	90/10	4601-X
.471	.517	.805	90/10	MEG-S-0347X-B	.493	.651	.405	90/10	4600
.471	.520	.718	90/10	4413-X	.494	.628	.740	90/10	4264-XXX
.471	.520	.718	90/10	MEG-S-0339X-B	.494	.651	.452	60/40	4443
.471	.629	.390	90/10	4361	.494	.651	.452	60/40	MEG-S-1847
.471	.629	.390	90/10	MEG-S-4361-B	.494	.651	.620	60/40	MEG-S-1843
.471	.629	.750	90/10	4494	.494	.651	.700	90/10	4640
.4715	.600	.500	90/10	4497-X	.4955	.583	.552	90/10	4601
.472	.519	.515	90/10	4205	.496	.565	.781	90/10	4265-XXX
.472	.629	.515	90/10	4205-C	.4965	.628	.740	90/10	4264-XX
.472	.629	.515	90/10	MEG-S-5114-B	.4985	.565	.781	90/10	4265-XX
.472	.633	.540	60/40	4370	.499	.628	.740	90/10	4264-X
.472	.633	.540	60/40	MEG-S-1851	.500	.625	.500	90/10	4360
.4725	.517	.805	Split	4451-S	.500	.625	.765	60/40	4432
.4725	.596	.716	90/10	4422	.500	.625	.765	60/40	MEG-S-1878
.473	.516	.615	90/10	4468	.500	.690	.735	60/40	4450
.473	.516	.615	90/10	MEG-S-3212-B	.500	.753	.554	90/10	4381
.473	.520	.720	Split	4413-S	.501	.565	.781	90/10	4265-X

QUICK REFERENCE / INSIDE DIAMETER

I.D.	O.D.	LGTH.	MAT.	PART NO.	I.D.	O.D.	LGTH.	MAT.	PART NO.
.501	.627	1.000	90/10	4270	.567	.756	.970	90/10	4284-PF
.5015	.628	.740	90/10	4264	.567	.756	.970	90/10	MEG-S-0484-B
.502	.564	.685	60/40	4436	.567	.775	1.000	90/10	4288
.5035	.565	.781	90/10	4265	.593	.711	.798	60/40	MEG-S-1848
.5035	.5655	.620	Split	4265-S	.594	.713	.873	60/40	4446
.512	.629	.730	90/10	4608	.594	.713	.873	60/40	MEG-S-1883
.512	.632	.730	60/40	4611	.595	.713	.750	60/40	4430
.520	.752	.473	90/10	4252	.595	.713	.750	60/40	MEG-S-1877
.531	.657	.940	60/40	4316	.596	.789	.610	90/10	4603
.540	.753	.845	60/40	4286	.6195	.753	.625	90/10	4216-XXXX
.541	.756	.965	BRONZE	4284BR	.622	.753	.625	90/10	4216-XXX
.541	.756	.970	90/10	4284	.6225	.753	.735	90/10	4258-XX
.547	.752	.750	BRONZE	4480BR	.624	.687	.750	90/10	4271
.552	.691	.578	90/10	4642	.624	.752	.970	90/10	4278-X
.552	.710	.781	90/10	4655	.6245	.753	.625	90/10	4216-XX
.552	.711	.550	60/40	4677	.625	.687	.557	90/10	4467-X
.553	.692	.656	60/40	MEG-S-1842	.625	.750	1.220	60/40	4460
.553	.711	.625	90/10	4636	.625	.750	1.220	60/40	MEG-S-1884
.555	.689	.780	90/10	4310	.625	.753	.557	90/10	4258-X
.555	.689	.784	BRONZE	4310BR	.625	.756	.752	90/10	4483-PF
.5555	.629	.750	90/10	4200-XXXX	.625	.756	.752	90/10	MEG-S-3566-B
.556	.710	.787	90/10	4602	.626	.688	.625	90/10	4274
.558	.629	.750	90/10	4200-XXX	.626	.689	1.156	90/10	4244
.5585	.693	.725	90/10	4347-XX	.626	.752	1.155	90/10	4245-X
.5585	.784	.801	60/40	4242-XX	.626	.755	.780	90/10	4483
.5605	.629	.750	90/10	4200-XX	.626	.756	.861	90/10	4481
.5605	.6795	.369	60/40	4682	.626	.756	.861	BRONZE	4481BR
.561	.627	.807	90/10	4222-X	.626	.756	.861	90/10	MEG-S-3564-B
.561	.679	.510	90/10	4627	.6265	.752	.970	90/10	4278
.561	.693	.725	90/10	4347-X	.627	.687	.557	90/10	MEG-S-3214-B
.561	.779	.797	60/40	4242-WX	.627	.752	.460	60/40	4408
.561	.784	.801	60/40	4242-X	.627	.752	.460	90/10	MEG-S-0495-B
.562	.629	.650	90/10	4225-X	.627	.753	.625	90/10	4216-X
.562	.752	.750	90/10	4480	.627	.753	.625	90/10	MEG-S-0499X-B
.562	.752	.750	90/10	MEG-S-4480-B	.627	.814	.700	90/10	4466
.563	.629	.750	90/10	4200-X	.6275	.687	.557	90/10	4467
.563	.7815	.801	60/40	4242-DS	.6275	.753	.735	90/10	4258
.5635	.627	.807	90/10	4222	.628	.751	.450	90/10	4251
.5635	.693	.725	90/10	4347	.628	.751	.562	90/10	4351
.5635	.784	.801	60/40	4242	.628	.752	.750	60/40	4434
.5635	.784	.801	60/40	4242-W	.628	.752	.750	60/40	MEG-S-1880
.5645	.628	.660	Split	4225-S	.628	.753	.672	60/40	4420
.5645	.629	.650	90/10	4225	.628	.815	.750	60/40	4224
.5645	.629	.650	90/10	MEG-S-0400-B	.628	.815	1.453	60/40	4401
.565	.629	.750	90/10	4200	.628	.815	1.453	60/40	MEG-S-0880
.565	.629	.750	90/10	MEG-S-0400X-B	.6285	.752	1.155	90/10	4245
.565	.689	.775	90/10	4310PF	.629	.754	.585	90/10	4656
.5655	.629	.720	Split	4200-S	.629	.774	.8805	90/10	4291
.5655	.629	.720	Split	MEG-S-0400SP	.629	.815	1.750	60/40	4402
.567	.755	1.000	90/10	4289	.6295	.753	.625	90/10	4216

QUICK REFERENCE/INSIDE DIAMETER

I.D.	O.D.	LGTH.	MAT.	PART NO.	I.D.	O.D.	LGTH.	MAT.	PART NO.
.6295	.753	.625	90/10	MEG-S-0499-B	.7525	.814	.805	60/40	4433
.630	.756	.859	90/10	4481-PF	.753	.6275	.861	90/10	4498
.6355	.753	.595	60/40	4259-XX	.753	.6275	.861	90/10	MEG-S-2139
.638	.753	.595	60/40	4259-X	.753	.877	.750	60/40	4267
.638	.840	.365	NYLON	4672	.753	1.254	.400	90/10	4206
.6405	.753	.595	60/40	4259	.754	.878	.800	60/40	4459
.6405	.753	.595	60/40	MEG-S-0459	.7555	.815	.715	90/10	4237
.653	.770	.750	60/40	MEG-S-1841	.757	.880	.720	90/10	4238
.659	.748	.789	90/10	4628	.757	.890	.750	90/10	4484-PF
.662	.752	.755	90/10	4630	.761	.962	.495	60/40	4487
.667	.879	1.125	90/10	4309	.783	.974	1.125	90/10	4489-PF
.667	.879	1.125	90/10	MEG-S-2204-B	.787	.946	.625	90/10	4637
.670	.828	.875	60/40	4383	.806	1.046	.480	90/10	4604
.671	.800	.718	60/40	4426	.817	1.001	1.182	60/40	4488
.672	.786	.312	90/10	4631	.830	.964	1.250	BRONZE	4485BR
.672	.828	.788	60/40	4454	.830	.964	1.250	90/10	MEG-S-3568-B
.672	.828	.788	60/40	MEG-S-1869	.835	.965	1.250	90/10	4485-PF
.673	.795	.790	60/40	4300	.837	.9604	.980	90/10	4495
.680	.748	.789	90/10	4628-PF	.837	.9604	.980	90/10	MEG-S-2108
.686	.819	.703	90/10	4350	.876	1.002	.995	60/40	4262
.686	.819	.703	90/10	MEG-S-4350-B	.877	1.002	1.328	60/40	4437
.687	.814	.695	90/10	4471	.8875	1.011	.980	90/10	4496
.687	.814	.695	90/10	MEG-S-3436-B	.905	1.027	.340	90/10	4605
.690	.789	.291	90/10	4606-X	.937	.622	.497	90/10	4661
.690	.816	.500	90/10	4701	.947	1.064	.667	90/10	4626
.690	.816	.659	90/10	4700	1.002	1.127	.686	60/40	4462
.690	.879	1.120	90/10	4309-PF	1.028	1.185	.345	90/10	4664
.691	.900	1.120	90/10	4290	1.120	1.255	1.250	90/10	4441-PF
.6925	.789	.291	90/10	4606	1.122	1.249	.512	90/10	4382
.696	.851	.369	60/40	4671	1.186	1.381	.911	90/10	4629
.733	.889	.750	90/10	4484					
.738	.890	.760	BRONZE	4484BR					
.742	.877	.590	90/10	4470-X					
.744	.877	.590	90/10	MEG-S-3435-B					
.7445	.877	.590	90/10	4470					
.749	.875	.776	60/40	4371					
.749	.878	.860	60/40	4337					
.749	.890	.752	90/10	MEG-S-3567-B					
.750	.814	.805	60/40	4433-X					
.750	.875	.800	90/10	4661					
.750	.877	1.000	90/10	4492					
.750	.9085	.510	60/40	4676					
.750	.938	.885	90/10	4478					
.750	.938	.885	90/10	MEG-S-3561-B					
.751	.815	.704	60/40	4368					
.751	.815	.704	60/40	MEG-S-1876					
.751	.987	.390	90/10	4641					
.752	.814	.805	60/40	MEG-S-1879					
.752	.815	.715	90/10	4237-X					
.752	.879	.620	90/10	4702					

QUICK REFERENCE/OUTSIDE DIAMETER

O.D.	I.D.	LGTH.	MAT.	PART NO.	O.D.	I.D.	LGTH.	MAT.	PART NO.
.496	.436	.440	60/40	4685	.592	.4535	.552	90/10	4607
.502	.377	.500	90/10	4703	.593	.474	.465	90/10	4673
.512	.435	.507	90/10	4632	.593	.474	.582	90/10	4654
.515	.393	.470	60/40	4453	.595	.473	.400	90/10	4491
.516	.473	.615	90/10	4468	.595	.473	.400	90/10	MEG-S-4491-B
.516	.473	.615	90/10	MEG-S-3212-B	.595	.473	.985	60/40	4452
.517	.4685	.805	90/10	4451-XX	.596	.4675	.716	90/10	4422-XX
.517	.471	.805	90/10	4451-X	.596	.468	.750	90/10	4473-XX
.517	.471	.805	90/10	MEG-S-0347X-B	.596	.470	.707	90/10	4472
.517	.4725	.805	Split	4451-S	.596	.470	.716	90/10	4422-X
.517	.4735	.805	90/10	4451	.596	.4705	.750	90/10	4473-X
.517	.4735	.805	90/10	MEG-S-0347-B	.596	.4725	.716	90/10	4422
.519	.472	.515	90/10	4205	.596	.473	.750	90/10	4473
.520	.4635	.718	90/10	4413-XXXX	.596	.473	.750	90/10	MEG-S-3434-B
.520	.466	.718	90/10	4413-XXX	.596	.478	.625	90/10	4292
.520	.4685	.718	90/10	4413-XX	.600	.4715	.500	90/10	4497-X
.520	.471	.718	90/10	4413-X	.600	.474	.500	90/10	4497
.520	.471	.718	90/10	MEG-S-0339X-B	.600	.475	.745	90/10	4349
.520	.473	.720	Split	4413-S	.600	.475	.745	90/10	MEG-S-4349-B
.520	.473	.720	Split	MEG-S-0889	.622	.937	.497	90/10	4661
.520	.4735	.718	90/10	4413	.623	.438	.500	60/40	4372
.520	.4735	.718	90/10	MEG-S-0339-B	.625	.500	.500	90/10	4360
.520	.476	.500	90/10	4353-X	.625	.500	.765	60/40	4432
.520	.476	.500	90/10	MEG-S-4353-B	.625	.500	.765	60/40	MEG-S-1878
.520	.4785	.500	90/10	4353	.627	.501	1.000	90/10	4270
.522	.434	.550	90/10	4675	.627	.561	.807	90/10	4222-X
.534	.435	.550	90/10	4366	.627	.5635	.807	90/10	4222
.550	.393	.586	90/10	4651	.6275	.753	.861	90/10	4498
.552	.3955	.487	90/10	4683	.6275	.753	.861	90/10	MEG-S-2139
.552	.4345	.507	90/10	4680	.628	.494	.740	90/10	4264-XXX
.553	.389	.530	60/40	4464	.628	.4965	.740	90/10	4264-XX
.553	.389	.530	60/40	MEG-S-1855	.628	.499	.740	90/10	4264-X
.553	.393	.530	90/10	4650	.628	.5015	.740	90/10	4264
.553	.475	.545	60/40	4670	.628	.5645	.660	Split	4225-S
.5535	.3955	.381	90/10	4684	.629	.4535	.730	90/10	4608-X
.554	.395	.504	90/10	4660	.629	.471	.390	90/10	4361
.555	.475	.465	90/10	4686	.629	.471	.390	90/10	MEG-S-4361-B
.564	.467	.745	60/40	4474	.629	.471	.750	90/10	4494
.564	.502	.685	60/40	4436	.629	.472	.515	90/10	4205-C
.565	.496	.781	90/10	4265-XXX	.629	.472	.515	90/10	MEG-S-5114-B
.565	.4985	.781	90/10	4265-XX	.629	.512	.730	90/10	4608
.565	.501	.781	90/10	4265-X	.629	.5555	.750	90/10	4200-XXXX
.565	.5035	.781	90/10	4265	.629	.558	.750	90/10	4200-XXX
.5655	.5035	.620	Split	4265-S	.629	.5605	.750	90/10	4200-XX
.583	.493	.555	90/10	4601-X	.629	.562	.650	90/10	4225-X
.583	.4955	.552	90/10	4601	.629	.563	.750	90/10	4200-X
.592	.433	.591	90/10	4610	.629	.5645	.650	90/10	4225
.592	.451	.515	90/10	4609-X	.629	.5645	.650	90/10	MEG-S-0400-B
.592	.451	.552	90/10	4607-X	.629	.565	.750	90/10	4200
.592	.453	.510	90/10	4609	.629	.565	.750	90/10	MEG-S-0400X-B

QUICK REFERENCE/OUTSIDE DIAMETER

O.D.	I.D.	LGTH.	MAT.	PART NO.	O.D.	I.D.	LGTH.	MAT.	PART NO.
.629	.5655	.720	Split	4200-S	.748	.680	.789	90/10	4628-PF
.629	.5655	.720	Split	MEG-S-0400SP	.750	.625	1.220	60/40	4460
.6315	.473	.369	90/10	4681	.750	.625	1.220	60/40	MEG-S-1884
.632	.492	.472	90/10	4633	.751	.628	.450	90/10	4251
.632	.492	.591	90/10	4634	.751	.628	.562	90/10	4351
.632	.512	.730	60/40	4611	.752	.520	.473	90/10	4252
.633	.462	.810	60/40	4307	.752	.547	.750	BRONZE	4480BR
.633	.472	.540	60/40	4370	.752	.562	.750	90/10	4480
.633	.472	.540	60/40	MEG-S-1851	.752	.562	.750	90/10	MEG-S-4480-B
.633	.473	.587	90/10	4653	.752	.624	.970	90/10	4278-X
.633	.473	.625	90/10	4362	.752	.626	1.155	90/10	4245-X
.633	.473	.970	90/10	4652	.752	.6265	.970	90/10	4278
.633	.492	.595	60/40	MEG-S-1808	.752	.627	.460	60/40	4408
.649	.492	.450	60/40	4442	.752	.627	.460	90/10	MEG-S-0495-B
.649	.492	.450	60/40	MEG-S-1846	.752	.628	.750	60/40	4434
.651	.4915	.452	60/40	4443-X	.752	.628	.750	60/40	MEG-S-1880
.651	.493	.405	90/10	4600	.752	.6285	1.155	90/10	4245
.651	.494	.452	60/40	4443	.752	.662	.755	90/10	4630
.651	.494	.452	60/40	MEG-S-1847	.753	.500	.554	90/10	4381
.651	.494	.620	60/40	MEG-S-1843	.753	.540	.845	60/40	4286
.651	.494	.700	90/10	4640	.753	.6195	.625	90/10	4216-XXXX
.652	.492	.620	90/10	4644	.753	.622	.625	90/10	4216-XXX
.657	.531	.940	60/40	4316	.753	.6225	.735	90/10	4258-XX
.679	.561	.510	90/10	4627	.753	.6245	.625	90/10	4216-XX
.6795	.5605	.369	60/40	4682	.753	.625	.735	90/10	4258-X
.687	.624	.750	90/10	4271	.753	.627	.625	90/10	4216-X
.687	.625	.557	90/10	4467-X	.753	.627	.625	90/10	MEG-S-0499X-B
.687	.627	.557	90/10	MEG-S-3214-B	.753	.6275	.735	90/10	4258
.687	.6275	.557	90/10	4467	.753	.628	.672	60/40	4420
.688	.626	.625	90/10	4274	.753	.6295	.625	90/10	4216
.689	.555	.780	90/10	4310	.753	.6295	.625	90/10	MEG-S-0499-B
.689	.555	.784	BRONZE	4310BR	.753	.6355	.595	60/40	4259-XX
.689	.565	.775	90/10	4310PF	.753	.638	.595	60/40	4259-X
.689	.626	1.156	90/10	4244	.753	.6405	.595	60/40	4259
.690	.500	.735	60/40	4450	.753	.6405	.595	60/40	MEG-S-0459
.691	.552	.578	90/10	4642	.754	.629	.585	90/10	4656
.692	.553	.656	60/40	MEG-S-1842	.755	.567	1.000	90/10	4289
.693	.5585	.725	90/10	4347-XX	.755	.626	.780	90/10	4483
.693	.561	.725	90/10	4347-X	.756	.541	.965	BRONZE	4284BR
.693	.5635	.725	90/10	4347	.756	.541	.970	90/10	4284
.710	.552	.781	90/10	4655	.756	.567	.970	90/10	4284-PF
.710	.556	.787	90/10	4602	.756	.567	.970	90/10	MEG-S-0484-B
.711	.552	.550	60/40	4677	.756	.625	.752	90/10	4483-PF
.711	.553	.625	90/10	4636	.756	.625	.752	90/10	MEG-S-3566-B
.711	.593	.798	60/40	MEG-S-1848	.756	.626	.861	90/10	4481
.713	.594	.873	60/40	4446	.756	.626	.861	BRONZE	4481BR
.713	.594	.873	60/40	MEG-S-1883	.756	.626	.861	90/10	MEG-S-3564-B
.713	.595	.750	60/40	4430	.756	.630	.859	90/10	4481-PF
.713	.595	.750	60/40	MEG-S-1877	.770	.653	.750	60/40	MEG-S-1841
.748	.659	.789	90/10	4628	.774	.629	.8805	90/10	4291


QUICK REFERENCE/OUTSIDE DIAMETER

O.D.	I.D.	LGTH.	MAT.	PART NO.	O.D.	I.D.	LGTH.	MAT.	PART NO.
.775	.567	1.000	90/10	4288	.889	.733	.750	90/10	4484
.779	.561	.797	60/40	4242-WX	.890	.738	.760	BRONZE	4484BR
.7815	.563	.801	60/40	4242-DS	.890	.749	.752	90/10	MEG-S-3567-B
.784	.5585	.801	60/40	4242-XX	.890	.757	.750	90/10	4484-PF
.784	.561	.801	60/40	4242-X	.900	.691	1.120	90/10	4290
.784	.5635	.801	60/40	4242	.9085	.750	.510	60/40	4676
.784	.5635	.801	60/40	4242-W	.938	.750	.885	90/10	4478
.786	.672	.312	90/10	4631	.938	.750	.885	90/10	MEG-S-3561-B
.789	.596	.610	90/10	4603	.946	.787	.625	90/10	4637
.789	.690	.291	90/10	4606-X	.9604	.837	.980	90/10	4495
.789	.6925	.291	90/10	4606	.9604	.837	.980	90/10	MEG-S-2108
.795	.673	.790	60/40	4300	.962	.761	.495	60/40	4487
.800	.671	.718	60/40	4426	.964	.830	1.250	BRONZE	4485BR
.814	.627	.700	90/10	4466	.964	.830	1.250	90/10	MEG-S-3568-B
.814	.687	.695	90/10	4471	.965	.835	1.250	90/10	4485-PF
.814	.687	.695	90/10	MEG-S-3436-B	.974	.783	1.125	90/10	4489-PF
.814	.750	.805	60/40	4433-X	.987	.751	.390	90/10	4641
.814	.752	.805	60/40	MEG-S-1879	1.001	.817	1.182	60/40	4488
.814	.7525	.805	60/40	4433	1.002	.876	.995	60/40	4262
.815	.628	.750	60/40	4224	1.002	.877	1.328	60/40	4437
.815	.628	1.453	60/40	4401	1.011	.8875	.980	90/10	4496
.815	.628	1.453	60/40	MEG-S-0880	1.027	.905	.340	90/10	4605
.815	.629	1.750	60/40	4402	1.046	.806	.480	90/10	4604
.815	.751	.704	60/40	4368	1.064	.947	.667	90/10	4626
.815	.751	.704	60/40	MEG-S-1876	1.127	1.002	.686	60/40	4462
.815	.752	.715	90/10	4237-X	1.185	1.028	.345	90/10	4664
.815	.7555	.715	90/10	4237	1.249	1.122	.512	90/10	4382
.816	.690	.500	90/10	4701	1.254	.753	.400	90/10	4206
.816	.690	.659	90/10	4700	1.255	1.120	1.250	90/10	4441-PF
.819	.686	.703	90/10	4350	1.381	1.186	.911	90/10	4629
.819	.686	.703	90/10	MEG-S-4350-B					
.828	.670	.875	60/40	4383					
.828	.672	.788	60/40	4454					
.828	.672	.788	60/40	MEG-S-1869					
.840	.638	.365	NYLON	4672					
.851	.696	.369	60/40	4671					
.875	.749	.776	60/40	4371					
.875	.750	.800	90/10	4661					
.877	.742	.590	90/10	4470-X					
.877	.744	.590	90/10	MEG-S-3435-B					
.877	.7445	.590	90/10	4470					
.877	.750	1.000	90/10	4492					
.877	.753	.750	60/40	4267					
.878	.749	.860	60/40	4337					
.878	.754	.800	60/40	4459					
.879	.667	1.125	90/10	4309					
.879	.667	1.125	90/10	MEG-S-2204-B					
.879	.690	1.120	90/10	4309-PF					
.879	.752	.620	90/10	4702					
.880	.757	.720	90/10	4238					

IMPORT STARTER BUSHING ASSORTMENTS

IK-501

Application:
140 Bushings for Popular Bosch, Datsun, Lucas and Toyota.
Packaged in 18-Compartment Plastic Container.




Includes:

QTY.	PART NO.	QTY.	PART NO.	QTY.	PART NO.
6	4360 Lucas	6	4433 Lucas	5	4605 Toyota
6	4362 Bosch	6	4434 Lucas	5	4606 Datsun
8	4366 Bosch	10	4442 Bosch	8	4607 Datsun
6	4368 Lucas	8	4443 Bosch	8	4608 Datsun
8	4370 Bosch	12	4600 Toyota	10	4609 Datsun
6	4432 Lucas	12	4601 Toyota	10	4610 Datsun

MEG-A-1617


Application:
140 Bushings for Popular Bosch, Chev-Luv, Colt-Mazda, Datsun, Fiat, Lucas and Toyota.
Packaged in 18-Compartment Plastic Container.



Includes:

QTY.	PART NO.	QTY.	PART NO.	QTY.	PART NO.
6	4360 Lucas	8	4607 Datsun	10	MEG-S-1846 Bosch
8	4366 Bosch	8	4608 Datsun	8	MEG-S-1851 Bosch
12	4600 Toyota	10	4609 Datsun	6	MEG-S-1855 Fiat
12	4601 Toyota	10	4610 Datsun	6	MEG-S-1876 Lucas
5	4605 Toyota	8	4631 Colt-Mazda	6	MEG-S-1879 Lucas
5	4606 Datsun	6	4633 Chev-Luv	6	MEG-S-1880 Lucas

BUSHING FIXTURE FOR CHRYSLER GEAR REDUCTION STARTERS



E-890

Remove - Install Bushings in One Easy Operation

- All 3 new Chrysler gear reduction drive end housing bushings are placed on Reduction Gear Shaft and Armature Shaft.
- Drive End Housing is placed over fixture with new bushings in place.
- Arbor Sleeve is placed on housing nose and press is applied.
- Old bushings are removed and new bushings are pressed into place in one operation.


UNIVERSAL STARTER DRIVE END BUSHING REMOVER AND INSTALLER SET

SA-1074

Designed to fit most popular starters.

Set includes:

SA-1075* For 6-Volt Delco Remy and Prestolite Starters.



SA-1076* For 6- and 12-Volt Ford and Prestolite Starters.



SA-1077* For 12-Volt Delco Remy and Prestolite Starters.




*SA-1075, SA-1076, SA-1077 available separately.

BENCH MOUNTED BUSHING REMOVER

E-1108

- Designed to remove bushings with inside diameters of .460 to .720.
- Removes bushings with outside diameters of .500 to .900.
- Removes bushings from either open or closed type housings.
- Designed for easy operation and is ideally suited for any size shop.
- Shipped Complete.



REPLACEMENT PARTS FOR THE E-1108

E-1108-2 Sleeve - For use with bushings of .500 through .625 outer diameter.


E-1108-3 Sleeve - For use with bushings of .625 through .900 outer diameter.

E-1108-4 Shaft - Has 5/16" stepdown for use with E-1108-6 (.460 small) gripping jaws listed below.

E-1108-5 Shaft - 3/8" straight shank for use with gripping jaws E-1108-7, 8, 9, 10, 11 listed below.


Gripping Jaws:	No.	For Inside Bushing Diameters of	No.	For Inside Bushing Diameters of
	E-1108-6	.460	E-1108-9	.625
	E-1108-7	.550	E-1108-10	.660
	E-1108-8	.580	E-1108-11	.720

BUSHING MATERIAL AND SUFFIX IDENTIFICATION



OIL IMPREGNATED SINTERED
BRONZE ALLOY.

Example: 4200



"S"-SPLIT BUSHING

Example: 4200-S



"BR"-BRONZE ALLOY

Example: 4284BR

SUFFIX IDENTIFICATION:

BR - CAST BRONZE

OS - O.D. IS UNDERSIZE

PF - PREFIT TO SHAFT O.D. FOR EASE OF INSTALLATION

S - SPLIT TYPE

W - SLOT FOR OIL WICK

WS - SLOT FOR OIL WICK AND SPLIT TYPE

X - .0025 UNDERSIZE

XX - .0050 UNDERSIZE

XXX - .0075 UNDERSIZE

XXXX - .0100 UNDERSIZE

ACE ELECTRIC COMPANY, INC.
P.O. Box 151 • Hwy. 69 South
Columbus, KS 66725

MEGA INTERNATIONAL
1250 Greenleaf Avenue
Elk Grove Village, IL 60007