
ACETM

GENERATOR PARTS




Table of Contents

ACE Generator Parts	2-31
<i>for Delco Remy 3 brush and Tractor Generators</i>	2-3
<i>for Delco Remy 2 brush 1939-1952</i>	4-5
<i>for Delco Remy 1952-64 Bushing on Commutator End</i>	6-7
<i>for Delco Remy 1954-64 Bearing on Commutator End</i>	8-9
<i>for Delco Remy Series 1106700, 6800 & 6900 Heavy Duty Generators</i>	10-11
<i>for Delco Remy 1105000 Series</i>	12-13
<i>for Autolite GGU, GGW & GHM with Power Steering</i>	14-15
<i>for Autolite 3 Brush</i>	16-17
<i>for Autolite 1940-55</i>	18-19
<i>for Autolite GGU-6005, GGW-6017, GGZ-6004, GHK-6002A (6v), GHM-6004 (12v)</i>	20-21
<i>for Autolite GJC, GJM, GJO & GJP Models</i>	22-23
<i>for Ford Tractors</i>	24-25
<i>for Ford 1938-48</i>	26-27
<i>for Ford 1949-56</i>	28-29
<i>for Ford 1956-61</i>	30-31
 ACE Generator Parts Buyer's Guide	 32-40
<i>Armatures</i>	32
<i>Bearings</i>	33
<i>Brushes</i>	34-36
<i>Brush Springs</i>	37
<i>Bushings</i>	38
<i>Commutator End Plates</i>	39
<i>Drive End Plates</i>	40
<i>Pulleys</i>	40
 ACE Numerical Index	 41-42

For Delco Remy 3 Brush And Tractor Generators

Ace No.	O. E. M.	Part, Description
B-1-B	836140	Cover band, bright finish
21	1902102	Field Coil set, 1926-36
28	1902105	Field Coil set, 1934-39
R-31	809637, 820517	Brush, 1923-36 (3)
R-46	1866148	Main Brush, 1934-39 (2)
S-101	141541	Screw, 6-32 x 5/32", lead attaching (3)
S-103	115903	Screw, 6-32 x 1/2", attaching for R-31 (3)
S-112	115607, 1886496	Screw, 8-32 x 5/16", oil chamber cover (3)
S-124	141602	Screw, 10-32 x 5/8"
S-128	1904370	Screw, 10-32 x 7/16", bearing retainer (3)
S-143	1843646	Screw, 3/8-24 x 3/4", pole shoe (2)
S-144	515018, 815018	Thru-bolt, 5/16-18 x 7", (2)
S-170	132243	Screw, 1/4-20 x 3/8", ground Bearing
A-203-2S	1893306	Nut, 12-24 x 7/16", (2)
S-203	121743	Nut, .668 -20, pulley attaching
S-212	806915	Lockwasher, No. 6 I.D., for S-101 & S-103 (6)
S-250	802730	Lockwasher, No. 8 I.D., for S-112
S-252	802731	Lockwasher, No. 10 I.D.
S-254	802731	Lockwasher, No. 12 I.D.
S-255	802757	Lockwasher, 1/4" I.D., for S-170
S-256	---	Lockwasher, 5/16" I.D., for S-144 (2)
S-258	108579	Lockwasher, 11/16" I.D., for S-212
S-266	804000	Woodruff Key, 1/8"
S-333	124545	Washer, No. 12 I.D., steel
S-348	1881409	Washer, 1/4" I.D., insulating
S-360	1853753	Washer, 7/8" I.D., felt
S-410	809961	Oil Wick
S-415	804076	Brush Spring, third & ground w/ R-31
S-733	809644	Spacer Collar, 5/16"
S-801	1858603	Washer, 11/16" I.D., .077 Thk., Spacer
S-802	809945	Felt Retainer Plate
S-803	819104	Oil Hole Plug, .248 O.D. x 5/32" long
S-805	816315	Terminal Post, 12-24 x 1-3/16", w/ nylon insulator
S-810	1858749	Insulator, nylon, for S-810
S-810-B	---	Terminal Post, 12-24 x 1-3/16"
S-810-S	---	Terminal Post assembly, complete
S-811	---	Relay Lead
S-814	1847387	Terminal Post & lead assembly
S-815-A	1858754	Gasket
S-824-A	1909121	Oil chamber gasket
S-826	817220	Insulator, molded nylon
S-828-B	---	Terminal Post assembly, complete
S-829-A	---	Oiler, 5/16"
S-830	114998	Oiler, .257 O.D. x .185 long
S-831	1880635	Oiler, .193 O.D. x .193 long
S-832-P	1880641	Dowel Pin
S-837	809593	Washer, No. 10 I.D., .032 Thk, spacer
S-849	1857412	Washer, No. 5 I.D., rectangular steel, for R-31 (3)
S-872	809551	D.E. plate
C-1910	1873830	Bushing (available in undersize also)
4242	822823	

Commutator End



S-826



S-112




S-252



S-831
S-831-P (Plastic)

Field Frame



B-1-B




S-143



S-258



S-256



S-170




S-814

Drive End



C-1910

GENERATOR PARTS



4242



S-415



S-872



S-805



S-250



S-101



S-252



S-124



R-31




R-46




S-733




S-103




S-849




S-815-A





21



28



S-144



S-831
S-831-P
(Plastic)



S-832-P
(Plastic)



S-830




S-128



S-254



S-837



S-802

S-824-A

A-203-2S

S-803

S-410



S-801



S-333



S-266



S-212

When You Need ACE Parts ... Call Your Nearest ACE Warehouse

For Delco Remy 2 Brush 1939-1952

Ace No.	O. E. M.	Part, Description
B-1-B	816340	Cover Band, bright finish
29	1902111	Field Coil set, 1940-48
R-51	1878209	Brush (2)
C-56	1909118, 1910404	Drive End Plate, cast iron
S-101	141541	Screw, 6-32 x 5/32", brush lead (2)
S-112	1886496	Screw, 8-32 x 5/16", brush plate & oil chamber cover
S-128	1904370	Screw, 10-32 x 7/16", bearing retainer (3)
S-143	1843646	Screw, 3/8-24 x 3/4", pole shoe (2)
S-154	809763	Thru-bolt, 5/16-18 x 7-3/4", (2)
S-170	132243	Screw, 1/4-20 x 3/8", ground
A-203-2S	1893306	Bearing
S-203	121743	Nut, 12-24 (2)
S-212	806915	Nut, .668- 20, pulley attaching
S-250	---	Lockwasher, No. 6 I.D., for S-101
S-252	---	Lockwasher, No. 8 I.D., for S-112
S-254	---	Lockwasher, No. 10 I.D., for S-128
S-255	---	Lockwasher, No. 12 I.D., for S-203
S-256	---	Lockwasher, 1/4" I.D., for S-170
S-258	---	Lockwasher, 5/16" I.D., for S-154
S-266	804000	Lockwasher, 11/16" I.D., for S-212
296	1912654	Field Coil set, 1949-52, Chev., etc.
315	1911962, 1921372	Field Coil set, 1949-53, Buick, etc.
S-333	124545	Woodruff key, 1/8"
S-348	1881409	Washer, No. 12 I.D., steel
S-360	1853753	Washer, 1/4", insulating
S-410	809961	Washer, 7/8" I.D., felt
S-415	804076	Oil Wick
S-801	1858603	Spacer Collar, 3/8"
S-802	809945	Washer, 11/16" I.D. x .077 Thk., spacer
S-803	819104	Retainer, felt
S-805	816315	Oil Hole Plug
S-810	1858749	Terminal Post, 12-24 x 1-3/16", w/ molded insulator
S-810-B	---	Insulator, nylon
S-810-S	---	Terminal Post, 12-24 x 1-3/16"
S-811	---	Terminal Post assembly, complete
S-814	1847387	Relay Lead
S-815-A	1858754	Terminal Post & lead assembly
S-824-A	1909121	Gasket w/ S-865-A
S-826	817220	Oil Chamber Gasket
S-828-B	---	Insulator, molded nylon
S-829-A	---	Terminal Post, w/ S-828, complete
S-830	114998	Oiler, 5/16"
S-831	188635	Oiler, .257 O.D. x .185 long
S-832-P	1880641	Oiler, .193 O.D. x .193 long
S-837	809593	Dowel Pin
S-849	1857412	Washer, No. 10 I.D., .032 Thk., spacer, for pressure arm (2)
S-865-A	1911263	Bearing Retainer Plate, holes 1-3/4" apart
S-875	---	Insulation for pole shoe (2)
4242	822823	Bushing (available in undersize also)

Commutator End



S-826



S-831
S-831-P (Plastic)



S-112



S-252



S-805



S-849

Field Frame



S-154




S-256




S-170



S-258



B-1-B



S-875

Drive End



C-56

GENERATOR PARTS



R-51



S-415



S-112




S-252



S-101




S-250




4242



S-143




296 for 6 volt
315 for 6 volt





29 for 6 volt



S-814



S-815-A



S-830



S-831
S-831-P
(Plastic)



S-832-P
(Plastic)




S-128



S-254



S-837



S-801



S-333



S-266




S-212


For Delco Remy 1952-64 Bushing On Commutator End

Ace No.	O. E. M.	Part, Description
C-55-D	---	C.E. Plate, die cast aluminum
C-56	1910404	D.E. Plate, cast iron, 1948-62
R-58	1932506	Brush (2)
S-101	141541	Screw, 6-32 x 5/32", brush lead (2)
S-128	1904370	Screw, 10-32 x 7/16", bearing retainer
S-133	---	Screw, 12-24 x 5/8"
S-143	1843646	Screw, 3/8-24 x 3/4", pole shoe (2)
S-144	515018	Thru-bolt, 5/16-18 x 7", for short case (2)
S-154	809763	Thru-bolt, 5/16-18 x 7-3/4", for long case (2)
S-170	132243	Screw, 1/4-20 x 3/8", ground
A-203-2S	1893306	Bearing
S-203	121743	Nut, 12-24 (2)
S-212	806915	Nut, .668-20, pulley attaching
S-250	---	Lockwasher, No. 6 I.D., for for S-101 (2)
S-254	---	Lockwasher, No. 10 I.D., for S-128
S-255	802757	Lockwasher, No. 12 I.D.
S-256	---	Lockwasher, 1/4" I.D., ground screw
S-258	120638	Lockwasher, 5/16" I.D., for thru-bolts (2)
S-266	804000	Lockwasher, 11/16" I.D., for S-212
296	1912654, 1922382	Field Coil, 6 Volt, long pole shoe
311	1913732, 1918076, 1918131, 1922700	Field Coil, 12 Volt, short pole shoe
312	1913554	Field Coil, 6 Volt, short pole shoe
313	1917994, 1918063, 1920167	Field Coil, 6 Volt, short pole shoe
315	1911962, 1912711, 1915871, 1921372, 1922702	Field Coil, 6 Volt, long pole shoe
319	1813478, 1916402, 1921356, 1925691	Field Coil, 6 Volt, short pole shoe
S-333	124545	Woodruff key, 1/8"
335	1919649, 1927700, 1951277, 1953879	Field Coil, 12 Volt, short pole shoe
336	1923625	Field Coil, 12 Volt, short pole shoe
341	1913582, 1913670, 1919283, 1922701, 1923537, 1930572, 1931686, 1936388, 1941451, 1950708, 1957306	Field Coil, 12 Volt, long pole shoe
344	1935779	Field Coil, 12 Volt, long pole shoe
S-348	1881409	Washer, No. 12 I.D.
350	1930886	Field Coil, 12 Volt, long pole shoe
S-360	1853753	Washer, 1/4" I.D., insulating
S-410	809961	Washer, 7/8" I.D., felt
S-415	804076	Oil Wick
S-743	1908829	Brush Spring (2)
S-801	1858603	Spacer Collar, 3/8"
S-802	809945	Washer, 11/16" I.D., x .077 Thk. spacer
S-803	819104	Retainer, felt
S-810-B	1858749	Bushing, insulating
S-824-A	1909121	Gasket, for S-865-A
S-830	114998	Oiler, 5/16"
S-831	188635, 1880635	Oiler, .257 O.D. x .185 long
S-832-P	1880641	Oiler, .193 O.D. x .193 long
S-837	809593	Dowel Pin
S-849	1857412	Washer, No. 10 I.D., .032 Thk., spacer, for pressure arm (2)
S-865-A	1911263	Bearing retainer plate, holes 1-3/4" apart
S-875	1912073	Field Coil insulation, long coils (2)
S-891	1921369	Terminal Post, 12-24 x 1"
S-892	1921362	Bushing, insulating

Commutator End



Field Frame



Ace No.	O. E. M.	Part, Description
S-893	---	Brush Holder, grd.
S-896	---	Terminal Post, armature, complete assembly
S-898	1922288	Brush Holder kit, ground
S-2003	---	Oil reservoir plug
S-2007	1921860	Terminal Post, 12-24 x 1 1/16"
S-2008	---	Terminal Post, field, complete assembly
S-2009	1878183	Pressure Arm (2)
S-2044	---	Gasket, for S-2003
4242	822823	Bushing (available in undersize also)
4242-DS	---	Bushing, for die cast endplate
8003	1944165	Field Coil, 12 Volt, short pole shoe
8009	1946117	Field Coil, 12 Volt, short pole shoe
8013	1945260	Field Coil, 12 Volt, long pole shoe

GENERATOR PARTS



S-415



S-743



R-58



S-2009


S-2008



S-896



S-898




Field Coils for Short Pole Shoes

Ace Coil

Volts

Replaces




311	12	1913732, 1918076, 1918131, 1922700
312	6	1913554
313	6	1917994, 1918063, 1920167
319	6	1813478, 1916402, 1921356, 1925691
335	12	1919649, 1927700, 1951277, 1953879
336	12	1923625
8003	12	1944165
8009	12	1946117

Field Coils for Long Pole Shoes

Ace Coil

Volts

Replaces



296	6	1912654, 1922382
315	6	1911962, 1912711, 1915871, 1921372, 1922702
341	12	1913582, 1913670, 1919283, 1922701, 1923537, 1930572, 1931686, 1936388, 1941451, 1950708, 1957306
344	12	1935779
350	12	1930886
8013	12	1945260

Drive End



C-56



S-830



S-831
S-831-P
(Plastic)



S-832-P
(Plastic)



S-128



S-254



S-837



S-802 A-203-2S S-410
S-865-A S-824-A S-803



S-266



S-801



S-333




S-212

For Delco Remy 1954-64 Bearing On Commutator End

Ace No.	O. E. M.	Part, Description
R-58	1932506	Brush (2)
S-101	141541	Screw, 6-32 x 5/32", brush lead
S-128	1904370	Screw, 10-32 x 7/16", bearing retainer
S-133	---	Screw, 12-24 x 5/8"
S-143	1843646	Screw, 3/8-24 x 3/4", pole shoe (2)
S-144	515018	Thru-bolt, 5/16-18 x 7", for short case (2)
S-154	809763	Thru-bolt, 5/16-18 x 7-3/4", for long case (2)
S-170	132243	Screw, 1/4-20 x 3/8", ground
A-203-2S	1893306	Bearing
S-203	121743	Nut, 12-24
S-212	806915	Nut, .668-20, pulley attaching
S-250	802730	Lockwasher, No. 6 I.D., for S-101
S-254	---	Lockwasher, No. 10 I.D., for S-128
S-255	802757	Lockwasher, No. 12 I.D.
S-256	---	Lockwasher, 1/4" I.D., ground screw
S-258	120638	Lockwasher, 5/16" I.D., for thru-bolts (2)
S-266	804000	Lockwasher, 11/16" I.D., for S-212
296	1912654, 1922382	Field Coil, 6 Volt, long pole shoe
311	1913732, 1918076, 1918131, 1922700	Field Coil, 12 Volt, short pole shoe
312	1913554	Field Coil, 6 Volt, short pole shoe
313	1917994, 1918063, 1920167	Field Coil, 6 Volt, short pole shoe
315	1911962, 1912711, 1915871, 1921372, 1922702	Field Coil, 6 Volt, long pole shoe
319	1813478, 1916402, 1921356, 1925691	Field Coil, 6 Volt, short pole shoe
S-333	124545	Woodruff key, 1/8"
335	1919649, 1927700, 1951277, 1953879	Field Coil, 12 Volt, short pole shoe
336	1923625	Field Coil, 12 Volt, short pole shoe
341	1913582, 1913670, 1919283, 1922701, 1923537, 1930572, 1931686, 1936388, 1941451, 1950708, 1957306	Field Coil, 12 Volt, long pole shoe
344	1935779	Field Coil, 12 Volt, long pole shoe
S-348	1881409	Washer, No. 12 I.D.
350	1930886	Field Coil, 12 Volt, long pole shoe
S-360	1853753	Washer, 1/4" I.D., insulating
S-410	809961	Washer, 7/8" I.D., felt
S-743	1908829	Brush Spring (2)
S-801	1858603	Spacer Collar, 3/8"
S-802	809945	Washer, 11/16" I.D. x .077 Thk., spacer
S-803	819104	Retainer, felt
S-810-B	1858749	Bushing, insulating
S-824-A	1909121	Gasket for S-865-A
S-830	114998	Oiler, 5/16"
S-831	1880635	Oiler, .257 O.D. x .185 long
S-832-P	1880641	Oiler, .193 O.D. x .193 long
S-837	809593	Dowel Pin
S-849	1857412	Washer, No. 10 I.D., .032 Thk., spacer, for pressure arm (2)
S-865-A	1911263	Bearing Retainer Plate, holes 1-3/4" apart
S-875	1912073	Field Coil insulation, long coils (2)
S-891	1921369	Terminal Post, 12-24 x 1"
S-892	1921362	Bushing, insulating
S-893	---	Brush Holder
S-896	---	Terminal Post, armature, complete assembly

Commutator End



C-3037



S-831
S-831-P (Plastic)



S-2041



S-849
S-101
S-250

Field Frame



S-144 (7")
S-154 (7 3/4")




S-143



S-258



S-170






S-875



S-256

Ace No.	O. E. M.	Part, Description
S-898	1922288	Brush Holder kit, ground
S-2005	---	Seal, neoprene
S-2007	1921860	Terminal Post, 12-24 x 1 1/16"
S-2008	---	Terminal Post, field, complete assembly
S-2009	1878183	Pressure Arm (2)
S-2041	---	Plug
C-3037	1949248	C.E. Plate, 1954-62
8003	1944165	Field Coil, 12 Volt, short pole shoe
8009	1946117	Field Coil, 12 Volt, short pole shoe
8013	1945260	Field Coil, 12 Volt, long pole shoe

GENERATOR PARTS




A-8503-2S



S-745




S-181




S-254 S-126




R-56-R




R-56-TL



S-2019



Clockwise
299, 331, 345



Counter Clockwise
300, 308



S-258




S-256



S-170



S-143-AA



C-1938-N






S-2029-N



S-2024



S-2023



S-831
S-831-P (Plastic)




S-336



S-2020



S-2022




S-2021



For Delco Remy No. 1105000 Series

Ace No.	O. E. M.	Part, Description
B-11	1835646	Cover Band
R-51	1878249	Brush
R-58	1932506	Brush
R-59	1906931	Brush (2)
S-101	141541, 454329	Screw, 6-32 x 5/32", brush lead (2)
S-128	1904370, 1904378, 1914580	Screw, 10-32 x 7/16", bearing retainer (3)
S-143-AA	1883864, 1914750	Screw, 3/8-24 x 7/8", pole shoe (2)
S-154	809763, 1845053	Thru-bolt, 5/16-18 x 7-3/4", (2)
S-170	132243	Screw, 1/4-20 x 3/8", ground
S-203	121743	Nut, 12-24 x 7/16", (2)
A-203-1S	904751	Bearing
A-203-2S	1893306	Bearing
S-212	806915	Nut, .668-20 x 15/16", pulley
S-250	802730	Lockwasher, No. 6 I.D., used w/ S-101 (2)
S-254	120217, 1880781	Lockwasher, No. 10 I.D., used w/ S-128 (3)
S-255	802757	Lockwasher, No. 12 I.D.
S-256	1874495	Lockwasher, 1/4" I.D., ground screw
S-258	120638	Lockwasher, 5/16" I.D., thru-bolts (2)
S-266	804000	Lockwasher, 11/16" I.D., used w/ S-212
291	1917515, 1917516	Field Coil, 12 Volt, clockwise, long
330	1923472, 1923473	Field Coil, 12 Volt, clockwise, short
S-333	124545	Woodruff Key, 1/8"
346	1931902, 1931903	Field Coil, 24 Volt, counter clockwise, short
347	1947976, 1947977	Field Coil, 24 Volt, clockwise, short
348	1939173, 1939174	Field Coil, 12 Volt, clockwise, short
S-348	1881409	Washer, No. 12 I.D.
S-360	1853753	Washer, 1/4" I.D., insulating
S-410	809961	Washer, 7/8" I.D., felt
S-801	1858603	Collar, 3/8", spacer
S-802	809945	Washer, 11/16 x .077 Thk., spacer
S-803	819104	Retainer, felt
S-810	---	Terminal Post, w/ molded insulator
S-810-B	---	Insulator, molded nylon
S-810-S	1858749	Terminal Post, 12-24 x 1-3/16"
S-811	---	Terminal Post assembly, complete
S-824-A	1909121	Gasket for 865-A
S-831	113702, 1880635	Oiler, 1/4"
S-832-P	1880641	Oiler, 3/16"
S-849	1857412	Washer, No. 10 I.D., (2)
S-865-A	1911263	Retainer Plate, bearing, holes 1-3/4" apart
1160-P	1940994	Fan, stamped steel
S-2009	1878183	Brush Arm (2)
4242	812823, 1850786	Bushing
8016	1945816, 1945817	Field Coil, 12 Volt, counter clockwise, short
A-8503-2S	908503	Bearing

Commutator End







Field Frame





Drive End




GENERATOR PARTS



Field Coils for Short Pole Shoes	Ace Coil	Volts	Replaces
	311	12	1913732, 1918076, 1918131, 1922700
	312	6	1913554
	313	6	1917994, 1918063, 1920167
	319	6	1813478, 1916402, 1921356, 1925691
	335	12	1919649, 1927700, 1951277, 1953879
	336	12	1923625
	8003	12	1944165
	8009	12	1946117
Field Coils for Long Pole Shoes	Ace Coil	Volts	Replaces
	296	6	1912654, 1922382
	315	6	1911962, 1912711, 1915871, 1921372, 1922702
	341	12	1913582, 1913670, 1919283, 1922701, 1923537, 1930572, 1931686, 1936388, 1941451, 1950708, 1957306
	344	12	1935779
	350	12	1930886
	8013	12	1945260

Drive End




When You Need ACE Parts ... Call Your Nearest ACE Warehouse

For Delco Remy Series 1106700, 6800 & 6900 Heavy Duty Generators

Ace No.	O. E. M.	Part, Description
B-18	1910011	Cover Band
R-56-R	1906911, 1906926, 1906974	Brush, riveted (2)
R-56-T	1906911, 1906926, 1906974	Brush, tapped (2)
R-56-TL	1946406	Brush, heavy duty (2)
S-126	132105	Screw, 10-32 x 3/8", brush lead attaching (2)
S-128	1904378	Screw, 10-32 x 7/16", (3)
S-132	---	Screw, 10-32 x 1"
S-143-AA	1883864	Screw, 3/8-24 x 7/8", pole shoe (4)
S-170	132243	Screw, 1/4-20 x 3/8", ground
S-181	120757	Screw, 10-32 x 5/8", brush holder attaching (4)
S-207	134551	Nut, 1/4-20, (2)
S-254	120217	Lockwasher, No. 10 I.D., w/ S-126 (2), S-128 (3)
S-256	1874495	Lockwasher, 1/4" I.D., (2)
S-258	120214	Lockwasher, 5/16" I.D., w/ S-2019 (2)
299	1920729, 730	Field Coil, 12 Volt, clockwise
300	1949574, 575	Field Coil, 12 Volt, counter clockwise
308	1911371, 343	Field Coil, 24 Volt, counter clockwise
331	1911352, 353	Field Coil, 24 Volt, clockwise
S-336	124548	Woodruff key
345	1948058, 059	Field Coil, 12 Volt, clockwise (for heavy duty)
S-349	1905125	Washer, 1/4" I.D.
S-636	1902746	Washer, 1/4" I.D., insulating
S-656-N	1909995	Bushing, insulating
S-745	1910033	Brush Spring (2)
S-831	113702	Oiler, .257 O.D. x .185 long
C-1937-N	---	C.E. Plate
C-1938-N	---	D.E. Plate
S-2016	1909988	Terminal Post, 1/4-20 x 1-3/8"
S-2019	1872411	Thru-bolt, 5/16-18 x 9-7/8", (2)
S-2020	443344	Nut, 5/8-18, armature shaft
S-2021	1872618	Washer, 5/8" I.D.
S-2022	1910035	Collar
S-2023	453310	Screw, 10-32 x 1-1/4", bearing retainer (6)
S-2024	432230	Nut, 10-32, for S-2023 (6)
S-2029-N	1910014	Retainer, gasket
S-2030-N	---	Retainer Plate
S-2032	1910880	Terminal Post w/ lead
S-2033	---	Terminal Post, complete assembly (2)
S-2034	---	Terminal Post, for insulated units, complete assembly
A-8503-2S	908503	Bearing, single shield


Commutator End



C-1937-N




S-831
S-831-P (Plastic)



S-128 S-254

Field Frame




B-18


Drive End



S-2029-N




S-2030-N



S-254 S-132


GENERATOR PARTS



R-51
R-58
R-59



S-2009



4242



A-8503-2S
A-203-IS




S-101



S-250




S-849





330, 346, 347, 348, 8016



S-154



291



S-831
S-831-P
(Plastic)



S-832-P
(Plastic)



S-801



S-266



S-333



S-212

For Autolite GGU, GGW & GHM With Power Steering

Ace No.	O. E. M.	Part, Description
E-57	GGU-1012	Brush, double shunt (2)
S-111	8X-1507	Screw, 8-32 x 1/4", brush clip (2)
S-121	8X-321	Screw, 10-32 x 5/16", ground
S-127	8X-118	Screw, 10-32 x 3/4", retainer (4)
S-128	GGW-52	Screw, 10-32 x 7/16", retainer (3)
S-131	X-715	Screw, 10-24 x 1-1/2",
S-139	GK-38B	Screw, 3/8-16 x 5/8", pole shoe (2)
140	GGW-1005	Field Coil, set, for GGW
151	GJC-1005	Field Coil, set, for GJC
S-200	8X-794	Nut, 10-24, square, cover band
S-202-A	8X-1377	Nut, 10-32 (2)
S-204	8X-1063	Nut, 1/4-28, Terminal Post
S-212	GBM-21	Nut, .668-20, pulley attch.
S-252	---	Lockwasher, No. 8 I.D.
S-254	10X-196, 12X-196	Lockwasher, No. 10 I.D.
S-256	12X-193, 12X-199	Lockwasher, 1/4" I.D., thru-bolt (2)
S-258	12X-1014	Lockwasher, 5/16" I.D., thru-bolt (2)
S-266	X-864	Lockwasher, 11/16" I.D., pulley attch.
S-336	X-263	Woodruff Key, 5/32"
S-347	GGU-31, 8X-349	Washer, No. 12 I.D.
S-349	8X-361	Washer, 1/4" I.D.
S-636	GGU-30, GAA-32, GBW-34, GDW-44	Washer, insulating, 1/4" I.D. (fiber)
S-656-N	GGU-32	Insulator, terminal post
S-831	X-489	Oiler, .257 O.D. x .185 long

Commutator End



S-831
S-831-P
(Plastic)



S-252



S-111

Field Frame



S-656-N



S-636



S-347



S-254



S-202-A

Drive End



S-128 S-254

GENERATOR PARTS



S-127 S-254



E-57




S-131



S-200



S-349



140 6 volt
151 12 volt



S-121



S-256



S-139



S-204



S-258



S-212



S-266



S-336


For Autolite 3 Brush

Ace No.	O. E. M.	Part, Description
11	GAM-1005-S	Field Coil Generator, 6 Volt
E-39	GBM-1012	Brush, 1935-39, main (2)
E-39-C	GBM-1013	Brush, 1935-39, control (1)
E-43	GCJ-1012	Brush, 1937-39, main (2)
E-43-C	GCJ-1013	Brush, 1937-39, control (1)
S-111	8X-888, 8X-1507	Screw, 8-32 x 1/4", oil chamber cover, brush clip
S-114	8X-56	Screw, 8-32 x 3/8", w/ third brush spring
115	GEO-2005	Field Coil Generator, 6 Volt
S-122	8X-311	Screw, 10-32 x 11/32", w/ spring clamp
124	GDZ-1005	Field Coil Generator, 6 Volt
124-X	---	Field Coil Generator, 12 Volt, same as 124 except 12 Volt
S-128	---	Screw, 10-32 x 7/16"
S-131	8X-715	Screw, 10-24 x 1-1/2", cover band
S-131-X	---	Screw, 8-32 x 1-1/4", cover band
S-139	GK-38-B	Screw, 3/8-16 x 5/8", pole shoe (2)
140	GGY-1005	Field Coil Generator, 6 Volt
144	GHO-1005	Field Coil Generator, 6 Volt
145	GHH-1005-A	Field Coil Generator, 12 Volt
S-200	8X-794	Nut, 10-24 x 3/8", w/ S-131
S-201-A	---	Nut, 8-32 x 11/32", w/ S-131-X
S-202	8X-173	Nut, 10-32 x 3/8", bearing retainer screw & hardware w/ field post
S-202-A	8X-1377	Nut, 10-32 (2)
A-203-2S	25-91, X 1499	Bearing
S-212	GBM-21	Nut, .668-20 x 15/16", pulley attaching
S-251	12X-195	Lockwasher, No. 8 I.D., w/ S-111, S-114
S-252	X-195	Lockwasher, No. 8 I.D., w/ S-111 (3)
S-254	12X-195, 12X-196	Lockwasher, No. 10 I.D., w/ S-122 & bearing retainer screw
S-256	12X-199	Lockwasher, 1/4" I.D., thru-bolt (2)
S-266	X-864	Lockwasher, 11/16" I.D., w/ S-212
S-333	X-260	Woodruff Key, 1/8"
S-347	GGU-31, 8X-349	Washer, No. 12 I.D.
S-349	20-49	Washer, 1/4" I.D., steel
S-359	GBW-34, GGU-30	Washer, No. 12 I.D., insulating, (fiber)
S-410	GG-164	Washer, 7/8" I.D., felt (2)
S-416	GAR-73	Oil Wick
S-636	GGU-30, GAA-32, GBW-34, GDW-44	Washer, insulating, 1/4" I.D. (fiber)
S-656-N	GGU-32	Insulator, terminal post
S-814	---	Relay lead
S-831	X-489	Oiler, .257 O.D. x .185 long
4278	GBF-79	Bushing (available in undersize)
4347	GGU-38-A	Bushing (available in undersize)


Commutator End



Field Frame



Drive End



GENERATOR PARTS




S-416



S-831
S-831-P (Plastic)



S-252



S-111



4278



S-251



S-114



4347



S-656-N



S-636



S-347



S-254




S-202-A




S-254



S-122



115, 124, 124X, 140



11, 144, 145



S-251



S-359



S-347



S-254



S-202



S-636



S-349



S-256



S-204-A



A-203-2S



S-831
S-831-P (Plastic)



S-128



S-202



S-212



S-266



S-333



S-254

For Autolite 1940-55

Ace No.	O. E. M.	Part, Description
E-45	GBW-1012-A	Brush, single shunt (2)
E-57	GGU-1012	Brush, double shunt (2)
S-111	8X-1507	Screw, 8-32 x 1/4", brush clip (2)
S-116	8X-888	Screw, 8-32 x 5/8", ground, oil chamber cover (3)
124	GDZ-1005	Field Coil set, GDZ
S-128	GGW-52	Screw, 10-32 x 7/16", retainer GGW (3)
S-139	GK-38-B	Screw, 3/8-16 x 5/8", pole shoe
140	GGW-1005	Field Coil set, for GGW
S-202	8X-173	Nut, 10-32 x 3/8"
S-202-A	8X-1377	Nut, 10-32 x 7/16" (2)
A-203-2S	25-91, X-1499	Bearing
S-204	8X-1063	Nut, 1/4-28 x 7/16"
S-212	GBM-21	Nut, .668-20 x 15/16", pulley, attaching
S-251	12X-195	Lockwasher, No. 8 I.D., w/ S-116
S-252	---	Lockwasher, No. 8 I.D., w/ S-111
S-254	10X-196, 12X-196	Lockwasher, No. 10 I.D., w/ S-128
S-256	12X-193, 12X-199	Lockwasher, 1/4" I.D., w/ thru-bolt
S-266	X-864	Lockwasher, 11/16" I.D., w/ S-212
S-333	X-260	Woodruff Key, 1/8 x 5/8"
S-334	X-261	Woodruff Key, 5/32 x 5/8"
S-347	GGU-31, 8X-349	Washer, No. 12 I.D., steel
S-349	8X-361	Washer, 1/4" I.D., steel
S-359	GGU-30, GBW-34	Washer, No. 12 I.D., insulator
S-410	GG-164	Washer, 7/8" I.D., felt (2)
S-416	GAR-73	Oil Wick
S-636	GAA-32, GDW-44	Washer, 1/4" I.D., insulator
S-656-N	GGU-32	Bushing, insulator, molded
S-831	X-489	Oiler, .257 O.D. x .185 long
4278	GBF-79	Bushing (available in undersize)
4347	GGU-38	Bushing

Commutator End



S-416



S-251



S-116




S-111



S-252

Field Frame



S-202-A



S-204




S-139

Drive End



A-203-2S

GENERATOR PARTS



4347




4278



E-45



E-57



124

140



S-656-N



S-636



S-359



S-349



S-347



S-256



S-254



S-251



S-116



S-410



S-212



S-266



S-333



S-334



S-128

**For Autolite GGU-6005,
GGW-6017, GGZ-6004,
GHK-6002A (6V), GHM-6004 (12V)**

Ace No.	O. E. M.	Part, Description
E-57	GGU-1012	Brush set (2)
E-74	GJC-2012-S	Brush set (2)
S-111	8X-305	Screw, 8-32 x 1/4", brush lead
S-121	8X-321, 8X-870	Screw, 10-32 x 5/16", retainer ground
S-128	GGW-52	Screw, 10-32 x 7/16", retainer
S-131	8X-714	Screw, 10-24 x 1-1/2"
S-139	GK-38	Screw, 3/8-16 x 5/8", pole shoe (2)
140	GGW-1005	Field Coil set for GGW (2 coils)
S-200	8X-794	Nut, 10-24 x 3/8", for S-131
S-202-A	8X-1377	Nut, 10-32 x 7/16", hex (2)
A-203-2S	25-91, X-1499	Bearing
S-204	8X-1063	Nut, 1/4-28 x 7/16", (2)
S-212	GBM-21B	Nut, .668-20 x 15/16", pulley, attaching
S-251	12X-195	Lockwasher, No. 8 I.D., for S-111
S-254	12X-196	Lockwasher, No. 10 I.D., for S-121 & S-128
S-256	12X-193	Lockwasher, 1/4" I.D., (2)
S-266	12X-864	Lockwasher, 11/16" I.D., w/ S-212
S-334	X-261	Woodruff Key, 5/32 x 5/8"
S-336	X-263	Woodruff Key, 3/4 x 5/32"
S-347	GGU-31	Washer, No. 12 I.D., steel
S-349	8X-361	Washer, 1/4" I.D., steel
S-410	GG-164	Washer, 7/8" I.D., felt (2)
S-416	GGU-41	Oil Wick
S-636	GGU-30, GDW-44	Washer, 1/4" I.D., insulator
S-656-N	GGU-32	Bushing, insulator, molded
S-831	X-489	Oiler, .257 O.D. x .185 long

Commutator End



S-416



S-831
S-831-P (Plastic)




S-251



S-111

Field Frame



140

Drive End



S-128



S-254

GENERATOR PARTS



S-121



S-254



A-203-2S



E-74



E-57



S-656-N



S-636



S-349



S-347



S-131



S-139



S-256



S-254



S-204



S-202-A



S-200



S-121



A-203-2S



S-410



S-334



S-336



S-266



S-212

For Autolite GJC, GJM, GJO, & GJP Models

Ace No.	O. E. M.	Part, Description
E-74	GJC-2012S	Brush set (2)
S-111	8X-305	Screw, 8-32 x 1/4", brush attaching
S-121	8X-321	Screw, 10-32 x 5/16", ground
S-128	GGW-52	Screw 10-32 x 7/16"
S-139	GK-38	Screw, 3/8-16 x 5/8", pole shoe (2)
152	GJC-1005A	Field Coil set, 12 Volt, GJC
156	GJM-1005C	Field Coil set, 12 Volt GJM
159	GJO-1005A	Field Coil set, GJO-7101
162	GJP-1005A	Field Coil set, GJP-7202
S-202-A	8X-1377	Nut, 10-32 x 7/16", (2)
A-203-2S	25-91, X-1499	Bearing
S-204	8X-1063	Nut, 1/4-28 x 7/16", for ground stud
S-212	GBM-21B	Nut, pulley attaching
S-252	12X-195	Lockwasher, No. 8 I.D., w/ S-111
S-254	12X-196	Lockwasher, No. 10 I.D., w/ S-121
S-256	12X-199	Lockwasher, 1/4" I.D.
S-266	12X-864	Lockwasher, 11/16" I.D., w/ S-212
S-333	X-260	Woodruff Key for GJC-2030F
S-336	X-263	Woodruff Key for GJC-2090F
S-347	GGU-31	Washer, No. 12 I.D., steel
S-349	SW-634	Washer, 1/4", steel, for output post
S-410	GG-164	Washer, 7/8" I.D., felt (2)
S-636	GGU-30	Washer, 1/4", insulator
S-656-N	GGU-32	Bushing, insulator
S-831	X-489	Oiler, .257 O.D. x .185 long,
S-1830	X-3279	Oiler, 3/8"
4426	---	Bushing (available in undersize)

Commutator End



4426



E-74



A-203-2S

Field Frame



S-139



S-254



S-121



S-204



S-256

Drive End



S-128

GENERATOR PARTS



S-111



S-121



S-1830



S-656-N



S-636



S-349



S-347



S-256



S-254



S-252




S-204




S-202-A



S-831
S-831-P (Plastic)



159, 162,



152 (GJC), 156 (GJM)



A-203-2S



S-410



S-266



S-212



S-831
S-831-P (Plastic)



S-333




S-336

For Ford Tractors

Ace No.	O. E. M.	Part, Description
F-9	40-10069	Brush
F-14	01A-10069	Brush (2)
F-19	9N-10069-A	Brush, 1939-41 (2)
44	9N-10175-C	Field Coil set, 1939-47, Fld. Current 5.2 amps
48	81A-10175-A	Field Coil set, 1953-54, Fld Current 1.8 Amps
75-P	9N-10130-B	Pulley, screw-on type, 1939-48
80-P	8N-10130	Pulley, w/ keyway, 1948-52
S-141	---	Screw, 7/16-14 x 11/16", pole shoe slotted
S-148	8A-10120	Thru-bolt, 1/4-20 x 6-1/2", 1949-54
S-160	11A-10211	Terminal Post, 10-32 x 1"
S-161	01A-10211	Terminal Post, 1/4-28 x 15/16"
S-165	---	Terminal Post assembly, field
S-166	---	Terminal Post assembly
A-202-0	9N-10094	Bearing, 1939-48
S-202	34079-S	Nut, 10-32 x 3/8", for S-160
A-203-2S	7RA-10094-A	Bearing, 1948-54
S-204	34081-S	Nut, 1/4-28 x 7/16", for S-161
S-212	351124-S	Nut, pulley retaining
S-254	34803-S, 34803-S2	Lockwasher, No. 10 I.D., S-160
S-256	34805-S	Lockwasher, 1/4" I.D., for thru-bolt (2)
S-266	351496-S	Lockwasher, 11/16" I.D., w/ S-212
S-334	74175-S	Woodruff Key, for pulley
S-347	34703-S	Washer, No. 12 I.D., steel, for S-160
S-349	34745-S	Washer, 1/4", steel, for S-161
402	8N-10175-A	Field Coil set 1948, Fld. Current 1.3 amps
S-530	18-10088	Dowel Pin
S-543-N	81A-10206	Bushing, insulating, nylon, for S-160
S-544	81A-10208	Washer, 5/16" I.D., insulating, for S-160
S-553	01A-10163	Snap ring, bearing retainer
S-555	01A-10202	Bushing, insulating, nylon, for S-161
S-567	B-11069, 18-11069	Rivet, No. 4 I.D., for brush holder
S-568	B-11073, 18-11073	Washer, No. 6 I.D., insulating, for S-567
S-725	40-10057	Brush Spring (3)
S-729	91-A-10057	Brush Spring (2)
S-831	B-10141	Oiler, .257 O.D. x .185 long
4300	78-10128	Bushing

Commutator End




Field Frame



S-256



S-141



S-148

Drive End




75-P




80-P

GENERATOR PARTS



4300

S-166



S-161

S-555

S-349

S-204

S-256

S-204



F-9



F-14



F-19




S-729



S-725

S-165



S-160

S-544

S-543-N

S-347


S-202

S-254


S-202



44



402



48



A-202-0



A-203-2S



S-553



S-212



S-266



S-530



S-334

For Ford 1938 - 1948

Ace No.	O. E. M.	Part, Description
F-14	01A-10069	Brush
48	81-10175-A	Field Coil set
S-121	31588-S	Screw, 20-32 x 5/16"
S-122	31596-S2	Screw, 10-32 x 11/32", brush holder, ground
S-141	---	Screw, 7/16-14 x 11/16", pole shoe (slotted)
S-148	78-10120	Thru-bolt, 1/4-20 x 6-1/2", (2)
S-160	11A-10211	Terminal Post, 10-32 x 1"
S-161	01A-10211	Terminal Post, 1/4-28 x 15/16"
S-164	---	Terminal Post assembly, ground, complete
S-165	---	Terminal Post assembly, field, complete
S-166	01A-10050	Terminal Post assembly, 1/4-28
S-202	34079-S	Nut, 10-32 x 3/8", for S-160
A-203-2S	7RA-10094	Bearing
S-204	34081-S	Nut, 1/4-28 x 7/16", for S-161
S-212	351124-S	Nut, pulley, attaching
S-254	34803-S, 34803-S2	Lockwasher, No. 10 I.D., S-121, S-122, S-160
S-256	34805-S	Lockwasher, 1/4" I.D., for S-148, S-161
S-266	351469-S	Lockwasher, 11/16" I.D., w/ S-212
S-334	74175-S	Woodruff Key
S-347	34703-S	Washer, No. 12 I.D., steel, for S-160
S-349	34745-S	Washer, 1/4", steel, for S-161
S-530	18-10088	Dowel Pin
S-543-N	81A-10206	Bushing, insulating, for S-165
S-544	81A-10208	Washer, 5/16" I.D., insulating, for S-160
S-553	01A-10163	Snap Ring, bearing retainer
S-555	01A-10202	Bushing, insulating, for S-161, nylon
S-567	18-11069	Rivet, No.4, for brush holder
S-568	18-11073	Washer, No. 6 I.D., insulating for S-567
S-729	91A-10057	Brush Spring (2)
S-831	B-10141	Oiler, .257 O.D. x .185 long
4300	78-10128	Bushing (available in undersize)

Commutator End




F-14



S-729

Field Frame



S-148



S-256



S-141

Drive End



A-203-2S





S-254






S-121

GENERATOR PARTS




S-831-P (Plastic)



For Ford 1949 - 56

Ace No.	O. E. M.	Part, Description
F-14	COAZ-10043-A, B6A-10043-B	Brush (2)
C-34-S	B5A-10050-A, FCV-10050-A	Brush Endplate, stamped steel
48	81-10175-A	Field Coil set, 6 Volt, 30-35 amps
S-141	---	Screw, 7/16-14 x 11/16", pole shoe, (slotted)
S-148	78-10120	Thru-bolt, 1/4-20 x 6-1/2", (2)
S-160	11A-10211	Terminal Post, 10-32 x 1"
S-161	01A-10211	Terminal Post, 1/4-28 x 15/16"
S-164	---	Terminal Post assembly, ground
S-165	---	Terminal Post assembly, field
S-166	---	Terminal Post assembly
S-166-S	---	Terminal Post assembly for CS-34-S
A-200-2S	B6A-10095-B	Bearing
S-202	34079-S	Nut, 10-32 x 3/8", for S-160 (2)
A-203-2S	7RA-10094	Bearing
S-204	34081-S	Nut, 1/4-28 x 7/16", for S-161 (2)
S-212	351124-S	Nut, pulley, attaching
S-254	34803-S	Lockwasher, No. 10 I.D., w/ S-202
S-256	34805-S	Lockwasher, 1/4" I.D., for S-148, S-161
S-266	351496-S	Lockwasher, 11/16" I.D., w/ S-212
S-334	74175-S	Woodruff Key, 5/32 x 5/8"
S-347	34703-S	Washer, No. 12 I.D., steel, w/ S-160
S-349	34745-S	Washer, 1/4" I.D., steel, for S-161
S-530	18-10088	Dowel Pin
S-543-N	---	Bushing, insulating, for S-160
S-544	81A-10208	Washer, 5/16 x 7/32", insulating, for S-160
S-553	01A-10163	Snap Ring, bearing
S-555	01A-10202	Bushing, insulating, nylon, for S-161
S-555-S	---	Bushing, insulating, nylon, short shoulder
S-567	B-11069, 18-11069	Rivet, No. 4 I.D., for brush holder
S-568	B-11073, 18-11073	Washer, No. 6 I.D., insulating, for S-567
S-729	91A-10057	Brush Spring (2)
S-820	351875-58	Rivet, No. 4 I.D., for brush holder
S-831	B-10141	Oiler, .257 O.D. x .185 long
S-940	---	Bushing, insulating, nylon
4300	78-10128	Bushing (also undersize)

Commutator End



C-34-S


Field Frame



S-256




S-141



S-148

Drive End



S-203-2S



S-553


GENERATOR PARTS



F-14



S-729



4300




A-200-2S



S-831
S-831-P (Plastic)



S-568



S-567



S-940



S-820




S-256



S-530

S-166



S-161



S-555



S-349



S-204



S-256



S-204


S-166-S



S-161



S-555-S



S-349




S-204



S-256




S-204



48 (6 volt)

S-165



S-160



S-544



S-543-N



S-347



S-202



S-254



S-202

S-164



S-160



S-347



S-202



S-254



S-202



S-212



S-266



S-334




S-530


For Ford 1956 - 1961

Ace No.	O. E. M.	Part, Description
F-14	COAZ-10043-A, B6A-10043-B	Brush (2)
F-33	---	Brush
C-34-E	PB8M-10050-A, B6A-10050-C	C.E. Plate, complete
S-101	---	Screw, 6-32 x 5/32", brush lead attaching
S-141	---	Screw, 7/16-14 x 11/16", pole shoe (slotted)
S-141-XS	68-10044	Screw, 7/16-14 x 5/8", pole shoe, flat socket head
S-148	8A-10120	Thru-bolt, 1/4-20 x 6-1/2", (2)
S-160	B4A-10211-A	Terminal Post, 10-32 x 1"
S-161	01A-10211	Terminal Post, 1/4-28 x 15/16"
S-164	---	Terminal Post assembly, ground
S-165	---	Terminal Post assembly, field
S-166	---	Terminal Post assembly
S-166-S	---	Terminal Post assembly for C-34E
A-200-2S	B6A-10095-B	Bearing
S-202	34079-S	Nut, 10-32 x 3/8", for S-160
A-203-2S	7RA-10049-A	Bearing
S-204	---	Nut, 1/4-28 x 7/16", (2)
S-212	351124-S	Nut, pulley, attaching
S-249	---	Lockwasher, No. 6 I.D., for S-101
S-254	34803-S	Lockwasher, No. 10 I.D., w/ S-202
S-256	34805-S	Lockwasher, 1/4" I.D., for S-101, thru-bolt
S-266	351496-S	Lockwasher, 11/16" I.D., w/ S-212
S-334	74175-S	Woodruff Key, 5/32 x 5/8"
S-347	34703-S	Washer, No. 12 I.D., steel w/ S-160
S-349	34745-S	Washer, 1/4", steel, for S-161
410	B6A-10175-B	Field Coil set, universal, for 30 amp.
411	B8QH-10175-A	Field Coil set, universal, for 40 amp.
412	C0AF-10175-A	Field Coil set, universal, for 35 amp.
415	C0DF-10175-A	Field Coil set, universal, for 25 & 30 amp.
S-530	18-10088	Dowel Pin
S-543-N	---	Bushing, insulating, for S-160
S-544	81A-10208	Washer, 5/16" I.D., insulating, for S-160
S-553	01A-10163	Snap Ring, bearing
S-555	01A-10202	Bushing, insulating, nylon, for S-161
S-555-S	---	Bushing, insulating, nylon, short shoulder
S-567	B-11069, 18-11069	Rivet, No. 4 I.D., for brush holder
S-568	B-11073, 18-11073	Washer, No. 6 I.D., insulating, for S-567
S-729	91A-10057	Brush Spring (2)
S-747	---	Brush Spring
S-820	351875-58	Rivet, No. 4 I.D., for brush holder
S-831	---	Oiler, .257 O.D. x .185 long
S-861	---	Washer, 3/8" I.D., steel
S-940	---	Bushing, insulating, nylon
S-2805	---	Pressure Arm
4300	78-10128	Bushing (also in undersize)


Commutator End










Field Frame



Drive End



GENERATOR PARTS



Armatures



for DELCO REMY

81006

12 volt
For Unit No. 1101433, 690, 691
Lester Gen. No. 9184, 88
Lester Arm. No. 87
Replaces 800306

81008

12 volt
For Unit No. 1100013, 016, 018, 019, 025, 027-029, 031-034, 036-039, 042, 047, 048, 051, 052, 055, 361, 408, 411, 412, 504-509, 516, 517, 523, 526, 527, 531, 532, 535-537, 539, 541; 1813399, 1813624
Lester Gen. No. 9055, 9202, 72, 93; 9929, 34, 36, 41, 42; 10157, 58, 59, 60; 10235, 40, 42; 10342
Lester Arm. No. 1
Replaces: 1921351 (1917164, 1925348, 1929558)

81010

12 volt
For Unit No. 1101694-697, 699
Lester Gen. No. 9187
Lester Arm. No. 89
Replaces: 800964

81011

12 volt
For Unit No. 1102072, 152, 209, 213, 214, 260, 272, 402, 403, 407, 408, 413, 417-419, 432, 534, 538, 539, 546, 951, 952, 954, 955, 959, 962
Lester Gen. No. 7121, 9269, 9389, 9667, 70, 72, 73; 9837, 9958, 70; 10012, 10260, 10543, 45
Lester Arm. No. 258
Replaces: 1841982 (1861063, 1879790, 1930351, 1936665, 1954209)

81012

12 volt
For Unit No. 1101689, 692, 863, 864, 875 (1101432 early prod. hollow shaft)
Lester Gen. No. 9185, 86, 91
Lester Arm. No. 88
Replaces: 800212

81013

12 volt
For Unit No. 1100328, 353, 359, 362, 379, 385, 998; 1101001, 011.
Lester Gen. No. 9092, 9940, 9951, 10245, 10311
Lester Arm. No. 1013.
Replaces: 1932746

81014

12 volt
For Unit No. 1101698, 869, 870, 872, 874, 926, 928, 934, 938, 940, 945, 947, 949, 951-955, 960, 961, 964-967, 969-971, 973, 977, 978, 980, 981, 984, 985, 992, 995, 997-999 (1101432 later prod. solid shaft)
Lester Gen. No. 9185, 91, 93, 99
Lester Arm. No. 242
Replaces: 1939904

81018

12 volt
For Unit No. 1101868, 871, 873, 927, 929-933, 936, 939, 941-944, 948, 950, 956-959, 962, 963, 968, 972, 974-976, 979, 982, 987, 989, 990, 994
Lester Gen. No. 9189, 94, 95
Lester Arm. No. 241
Replaces: 1939954

81019

12 volt
For Unit No. 1101693, 983, 986, 988, 991, 993, 996
Lester Generator No. 9190, 91, 98
Lester Arm. No. 242
Replaces: 1945778

for HARLEY DAVIDSON

81015

12 volt
Fits: 1958-80 Motorcycle
Replaces: 30851-65A

81016

6 volt
Replaces: 30851-61

81017

6 volt
Uses Bushing on shaft
Fits: Model 58 1958-64 Sportster
Replaces: 30851-58

for LUCAS

84221

12 volt
For Unit No. 22700, 04, 05, 15, 42, 65, 67, 75, 85, 95
Replaces: 227987, 54214237, 4537, 5165, 7499; 105E-10005, 2702E-10005-A

84222

12 volt
For Unit No. 22755, 56, 58, 64
Replaces: 54216228, 8417; C5NF-100027-B; C7NN-10027-A

for ROBERT BOSCH

84202-L

12 volt, less bearings
For Unit No. 0-101-302-067-086
Replaces: 1-104-013-949, 956

Bearings

ACE NO.	I.D.	O.D.	WIDTH		DESCRIPTION
			Inner Race	Outer Race	
A-200-2S	.3937	1.1811	.3543		2 Seals
A-201-2S	.4724	1.2598	.3937		2 Seals
A-202-0	.5906	1.378	.4331		Open
A-202-2S	.5906	1.3780	.4331		2 Seals
A-203-1S	.6693	1.5748	.4724		1 Seal
A-203-2S	.6693	1.575	.4724		2 Seals
A-204-2S	.7874	1.8504	.5512		2 Seals
A-205-2S	.9843	2.0472	.5906		2 Seals
A-302-2S	.5906	1.6535	.5118		2 Seals
A-304-2S	.7874	2.0472	.5906		2 Seals
A-629-2MS	.3543	1.0236	.3150		2 Metal Shields
A-8503-2S	.6693	1.5748	.4724	.5380	2 Seals
I-8605-1MS	.9843	2.0472	.6690	.8270	1 Seal



A-200-2S



A-201-2S




A-202-0



A-203-1S
A-203-2S



A-204-2S



A-205-2S



A-302-2S



A-304-2S



A-629-2MS



A-8503-2S




I-8605-1MS

Brushes


for DELCO REMY

ACE NO.	O.E.M. NO.	NO. PER SET	DIMENSIONS L x W x T	LEAD LENGTH
D-85	1838340, 348	2, 3, 4	1 x 19/32 x 5/16	1 5/16
FH-152	1946427		7/8 x 13/16 x 5/16	1 5/8
R-31	820225 809637 1880225 1906939	3	3/4 x 3/4 x 1/4	
R-31-M	1964716 1836664	3	3/4 x 3/4 x 1/4	
R-46	1850761 1853611 1860344 1866148	2	25/32 x 7/8 x 1/4	1 1/2
R-47	1856494	2	25/32 x 7/8 x 5/16	1 9/16
R-51	1878249	2	15/16 x 7/8 x 1/4	1 3/4
R-51-S	Same as R-51 except softer composition.			
R-56-R	1906911	4, 6, 8	1 1/16 x 1 1/14 x 5/16	1 5/8
R-56-T	Same as R-56-R except tamped shunts.			
R-56-TL	1946406	Same as R-56T	1 9/16 x 1 1/4 x 5/16	1 5/8
	except extra long for H.D. Gen.			
R-58	1906917, 946 1923295, 506	2	15/16 x 7/8 x 1/4	1 3/4
R-58-S	Same as R-58 except softer composition.			
R-59	1906931, 974	2	1 x 7/8 x 5/16	1 5/16
R-96	1906937, 970	2	15/16 x 7/8 x 1/4	1 3/4

SETS	O.E.M. NO.	NO. PER SET	CONTENTS
RX-31	-	3	R-31
RX-58	-	2	R-58



Dimensional information will always indicate: (1st) Length, (2nd) Width, (3rd) Thickness



Brushes**for FORD**


ACE NO.	O.E.M. NO.	NO. PER SET	DIMENSIONS L x W x T	LEAD LENGTH
F-9	18-10069 40-10069	2	25/32 x 25/32 x 9/32	
F-9-C	18-10070 40-10070	1	25/32 x 25/32 x 7/32	
F-14	01A-10069 FAA-10069-A	2	27/32 x 1 x 9/32	1
F-14-S	B6A-10069-A	2	27/32 x 1 x 9/32	1
F-19	9N-10069-A	3	5/8 x 19/32 x 9/32	1 1/8
F-33	C1AF-10069-A C1VF-10069-A	2	7/8 x 15/16 x 9/32	1
F-41	C5NF-10069-A	2	11/16 x 7/32 x 7/8	2

SETS	O.E.M. NO.	NO. PER SET	CONTENTS
FX-14	B4AZ-10069	2	F-14
FX-33	-	2	F-33

for AUTOLITE (PRESTOLITE)

ACE NO.	O.E.M. NO.	NO. PER SET	DIMENSIONS L x W x T	LEAD LENGTH
E-32	GAS-12	2	3/4 x 1/2 x 1/4	
E-32-C	GAS-13	1	3/4 x 1/2 x 3/16	
E-39	GBM-1012A	2	7/8 x 49/64 x 1/4	1 15/16
E-39-C	GBM-1013A	1	7/8 x 49/64 x 3/16	1 15/16
E-43	GDF-1012	2	7/8 x 7/8 x 1/4	1 7/8
E-43-C	GDF-1013	1	7/8 x 7/8 x 3/16	2
E-45	GBW-1012A	2	7/8 x 7/8 x 1/4	1 7/8
E-57	GGU-1012	2	7/8 x 7/8 x 1/4	1 3/4
E-62	GGY-1012	2	7/8 x 7/8 x 1/4	1 7/16
E-74	GGY-1012-B	2	7/8 x 7/8 x 1/4	1 1/2
E-84	GJG-2012-S	2	5/8 x 7/16 x 1/4	2 1/4

SETS	O.E.M. NO.	NO. PER SET	CONTENTS
EX-39	GBM-2012-AS	2	E-39
	GAR-2012-S	1	E-39-C
EX-74	GJC-2012-S	2	E-74



Brushes

for AMERICAN BOSCH

ACE NO.	O.E.M. NO.	NO. PER SET	DIMENSIONS L x W x T	LEAD LENGTH
B-81	BR-601	2	1 x 3/32 x 5/16	1 3/8
B-81-M	BR-602	4		1 3/8
B-82	BR-604, 609	4, 2	1 1/8 x 1 3/32 x 5/16	1 3/8

for ROBERT BOSCH

ACE NO.	O.E.M. NO.	NO. PER SET	DIMENSIONS L x W x T	LEAD LENGTH
W-10	1-104-320-023	2	3/4 x 17/32 x 7/32	15/16
W-12	WSK-40/L4Z	2	1 x 27/32 x 7/32	1 5/8
W-18	1-107-014-128	2	13/16 x 7/32 x 1	1
W-19	1-107-014-140	2	7/8 x 1 x 1/4	7/8

SETS	O.E.M. NO.	NO. PER SET	CONTENTS
WX-18	1-107-014-128	2	W-18
WX-19	2-107-014-016	2	W-19


for HARLEY DAVIDSON

ACE NO.	O.E.M. NO.	NO. PER SET	DIMENSIONS L x W x T	LEAD LENGTH
H-4	-	2	13/16 x 1/2 x 3/8	
H-4-C	-	1	3/4 x 15/32 x 1/8	1 5/8
H-9	30426-58	2	11/16 x 5/8 x 9/32	1 5/8


SETS	O.E.M. NO.	NO. PER SET	CONTENTS
HX-4	-	2	H-4
	-	1	H-4-C
HX-9	-	2	H-9

for LUCAS

ACE NO.	O.E.M. NO.	NO. PER SET	DIMENSIONS L x W x T	LEAD LENGTH
LU-10	227304, 05 261183	2	5/8 x 3/4 x 1/4	1 7/8
LU-61	224012	2	3/4 x 1 x 5/16	2 1/8
LU-148	203148	2	23/32 x 3/4 x 7/32	1 5/8
LU-149	227541	2	11/16 x 3/4 x 7/32	1 5/8




B-81




B-81-M



B-82




W-10




W-12




W-18




W-19




H-4




H-4-C




H-9



LU-10



LU-61



LU-149



LU-148

Brush Springs for DELCO REMY

S-733

Early 3 brush (main brush)
2 required
Replaces: 809644

S-734

Early 3 brush (3rd brush)
1 required
Replaces: 809658

S-742

2 brush 1940-51
2 required. Later 3rd brush
Replaces: 1878184

S-743

2 brush 1952-64
2 required
Replaces: 1908829

S-745

For heavy duty 1106700, 1106800, 1106900 Series
2 required
Replaces: 1910033

for FORD

S-725

3 brush
3 required
Replaces: 40-10057

S-729

2 brush w/o pressure arm
2 required
Replaces: 91A-10057

S-747

2 brush with pressure arm
2 required
Replaces: C1VF-10057-A

for LUCAS

S-2601

Replaces: 228159, 238062

S-2605

For Unit No. 22756A, E; 22758A, E
Replaces: 54219375, C5NF-10057-A

S-2608


Brush Spring Set of 2
For Unit No. 22755A, H
Replaces: 227542



S-725



S-729



S-733



S-743



S-745



S-747




S-2601

Bushings

ACE NO.	O.E.M. NO.	APPLICATION	I.D. x O.D. x L.
4242	812823 1850786	Delco	.563 x .7835 x .801
4242-DS		Delco (.002 smaller O.D. than 4242, to compensate for press fit in Delco aluminum die cast endplate)	.563 x .7815 x .801
*4264	MP-41A 220418	Autolite Lucas	.501 x .628 x .740
*4278	GDZ-109 GBF-79 GPW-10128	Autolite	.626 x .752 x .970
*4300	01A-10128 78-10128	Ford	.6725 x .795 x .790
*4347	GGU-38A	Autolite	.563 x .693 x .725
*4426	GJC-38A	Autolite	.671 x .800 x .718
*4430	220258	Lucas	.595 x .713 x .750
*4446	227713 227818	Lucas	.594 x .713 x .873
4454		Duc	.672 x .828 x .788
4460	239263	Lucas	.625 x .750 x 1.220

* Available in undersize



Dimensional information will always indicate: (1st) I.D., (2nd) O.D., (3rd) Length

Commutator End Plates

for DELCO REMY

C-55-D

Die cast aluminum. Popular Delco stepdown generators 1952-61.

Replaces:

1921357	1923069	1927451
1938787	1943033	1951434

C-95

Cast iron Buick 1953-55. (Air cond.)

Replaces:

1925204	1930924	1946928
---------	---------	---------

C-1937-N

Cast iron. Use with C-1938-N D.E. plate. For heavy duty truck generators; 11067, 11068, 1106900 series.

Replaces:

1914501	1910010
---------	---------

C-3037

Cast iron. Conversion endplate.

Replaces:

1939857	1946720	1949248
---------	---------	---------

for FORD

C-34-E

Stamped steel. Complete. Similar to C-34-S except without spacer on mounting bracket. Ford Falcon, Edsel, Lincoln, Mercury 1956-61.

Replaces:

B6A-10050-C	FCU-10050-A	FCY-10050-A
PB8M-10050-A		

C-34-S

Stamped steel. Ford 1951-58; Lincoln, Mercury 1956-58.

Replaces:

B5A-10050-A	FCU-10050-A
-------------	-------------

for LUCAS

C-3120

Die cast. Complete. For late Lucas generators.

Replaces:

5421125

C-3737

With brush holder assembly. Popular C-40T generators.

Replaces:

54216227

C-3738

With brush holder assembly.

For Unit No. G40T, 22756A, E; 22758A, E.

Replaces:

54216383	C5NF-10050-B
----------	--------------




C-55-D



C-95



C-1937-N




C-3037



C-34-E



C-34-S



C-3120

Drive End Plates

for DELCO REMY

C-56

Cast iron. Chevrolet, Pontiac 1948-62; Oldsmobile 1948-57; Buick 1953-56; Studebaker 1950-61; Nash 1956; Rambler 1961; Kaiser 1951-54; Hudson 1956; Cadillac 1950-56.

Replaces:

1871693 1909118 1910404

C-1910

Cast iron. Popular tractor generators.

Replaces:

1873830

C-1938-N

Cast iron. Use with C-1937-N C.E. plate. For heavy duty truck generators; 1106700, 6800, 6900 series.

for LUCAS

C-3122

Cast iron. For late Lucas generators.

Replaces:

54211095

C-3736

For Unit No. 22756A, E; 22758A, E; 22764A, E.

Replaces:

54216225 C5NF-10138-C

Pulleys

for DELCO REMY

1121-P

Cast iron 2 1/2" belt diameter, 19/32 between groove centers. Double keyway 1/8" & 3/16". Use with 1131-P fan. Buick, Chevrolet, Oldsmobile 1958-63.

Replaces:

1938093, 716 1940345 1944312

1129-P

Cast iron. 3" belt diameter, 3/8" belt. Double keyway 1/8" & 3/16". Use 1132-P fan. Cadillac 1958-62; Pontiac 1961-62; Oldsmobile, Chevy II 1962.

Replaces:

1943222 1949358

1131-P

FAN-5 1 1/2" O.D.

Replaces:

1922950 1939842

1160-P

FAN-Universal


for FORD

75-P

Cast iron. For three brush generators. Ford-Ferguson tractors 1939-48.

Replaces:

9N-10130B



80-P

Cast iron. With keyway for 2 brush generators. Ford tractors 1948-52.

Replaces:

8N-10130

PART NO.	PAGE NO.	PART NO.	PAGE NO.	PART NO.	PAGE NO.
B-1-B	2, 4	B-81-M	36	S-204	18, 20, 22, 24, 26, 28, 30
H-4	36	B-82	36	A-205-2S	33
H-4-C	36	E-84	35	S-207	10
HX-4	36	D-85	34	S-212	2, 4, 6, 8, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30
H-9	36	C-95	39	S-249	30
HX-9	36	R-96	34	S-250	2, 4, 6, 8, 12
F-9	24, 35	S-101	2, 4, 6, 8, 12, 30	S-251	16, 18, 20
F-9-C	35	S-103	2	S-252	2, 4, 16, 18, 22
LU-10	36	S-111	14, 16, 18, 20, 22	S-254	2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30
W-10	36	S-112	2, 4,	S-255	2, 4, 6, 8, 12
B-11	16	S-114	16	S-256	2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30
W-12	36	115	16	S-258	2, 4, 6, 8, 10, 12, 14
F-14	24, 26, 28, 30, 35	S-116	18	S-266	2, 4, 6, 8, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30
F-14-S	35	S-121	14, 20, 22, 26	291	12
FX-14	35	S-122	16, 26	296	4, 6, 8
B-18	10	124	16, 18	299	10
W-18	36	124-X	16	300	10
WX-18	36	S-124	2	A-302-2S	33
F-19	24, 35	S-126	10	A-304-2S	33
W-19	36	S-127	14	308	10
WX-19	36	S-128	2, 4, 6, 8, 10, 12, 14, 16, 18, 20	311	6, 8
21	2	S-131	14, 16, 20	312	6, 8
28	2	S-131-X	16	313	6, 8
29	4	S-132	10	315	4, 6, 8
R-3	2, 34	S-133	6, 8	319	6, 8
R-31-M	34	S-139	14, 16, 18, 20, 22	330	12
RX-31	34	140	14, 16, 18, 20	331	10
E-32	35	S-141	24, 26, 28, 30	S-333	2, 4, 6, 8, 12, 16, 18, 22
E-32-C	35	141-XS	30	S-334	18, 20, 24, 26, 28, 30
F-33	30, 35	S-143	2, 4, 6, 8	335	6, 8
FX-33	35	144	2, 16	336	10, 20, 22
C-34-E	30, 39	S-144	6, 8	341	6, 8
C-34-S	28, 39	S-145	16	344	6, 8
E-39	16, 35	LU-148	36	345	10
E-39-C	16, 35	S-148	24, 26, 28, 30	346	12
EX-39	35	LU-149	36	347	12
F-41	35	151	14	S-347	14, 16, 18, 20, 22, 24, 26, 28, 30
E-43	16, 35	152	22	348	12
E-43-C	16, 35	FH-152	34	S-348	2, 4, 6, 8, 12
44	24	S-154	4, 6, 8, 12	S-349	10, 14, 16, 18, 20, 22, 24, 26, 28, 30
E-45	18, 35	156	22	350	6, 8
R-46	2, 34	159	22	S-359	16, 18
R-47	34	S-160	24, 26, 28, 30	S-360	2, 4, 6, 8, 12
48	24, 26, 28	S-161	24, 26, 28, 30	402	24
R-5	4, 12, 34	162	22	410	30
R-51-S	34	S-164	26, 28, 30	S-410	2, 4, 6, 8, 12, 16, 18, 20, 22
C-55-D	6, 39	S-165	24, 26, 28, 30	411	30
C-56	4, 6, 40	S-166	24, 26, 28, 30	415	30
R-56-R	10, 34	S-166-S	28, 30	S-415	2, 4, 6
R-56-T	10, 34	S-170	2, 4, 6, 8, 10, 12	S-416	16, 18, 20
R-56-TL	10, 34	S-181	10		
E-57	18, 20, 35	A-200-2S	28, 30, 33		
R-58	6, 8, 12, 34	S-200	14, 16, 20		
R-58-S	34	A-201-2S	33		
RX-58	34	S-201-A	16		
R-59	12, 34	A-202-0	24, 33		
LU-61	36	A-202-2S	33		
E-62	35	S-202	16, 18, 24, 26, 28, 30		
E-74	20, 22, 35	A-203-1S	12, 33		
EX-74	35	A-203-2S	12, 16, 18, 20, 22, 24, 28, 30		
75-P	24, 40	S-203	2, 4, 6, 8, 12		
80-P	24, 40	A-204-2S	33		
B-81	36				

PART NO.	PAGE NO
S-530	24, 26, 28, 30
S-543-N	24, 26, 28, 30
S-544	24, 26, 28, 30
S-553	24, 26, 28, 30
S-555	24, 26, 28, 30
S-555-S	28, 30
S-567	24, 26, 28, 30
S-568	24, 26, 28, 30
A-629-2MS	33
S-636	10, 14, 16, 18, 20, 22
S-656-N	10, 14, 16, 18, 20, 22
S-725	22, 37
S-729	22, 24, 26, 28, 37
S-733	2, 37
S-743	6, 8, 37
S-745	10, 37
S-747	30, 37
S-801	2, 4, 6, 8, 12
S-802	2, 4, 6, 8, 12
S-803	2, 4, 6, 8, 12
S-805	2, 4
S-810	2, 4, 12
S-810-B	2, 4, 6, 8, 12
S-810-S	2, 4, 12
S-811	2, 4, 12
S-814	2, 4, 16
S-815-A	2, 4
S-820	28, 30
S-824-A	2, 4, 6, 8, 12
S-826	2, 4
S-828-B	2, 4
S-829-A	2, 4
S-830	2, 4, 6, 8
S-831	2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30
S-831-P	2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30
S-832-P	2, 4, 6, 8, 12
S-837	2, 4, 6, 8
S-849	2, 4, 6, 8, 12
S-861	30
S-865-A	4, 6, 8, 12
S-872	2
S-875	4, 6, 8
S-891	6, 8
S-892	6, 8
S-893	6, 8
S-896	6, 8
S-898	6, 8
S-940	28, 30
1121-P	40
1129-P	40
1131-P	40
1160-P	12, 40
S-1830	22
C-1910	2, 40
C-1937-N	10, 39
C-1938-N	10, 40
S-2003	6

PART NO.	PAGE NO
S-2006	8
S-2007	6, 8
S-2008	6, 8
S-2009	6, 8, 12
S-2016	10
S-2019	10
S-2020	10
S-2021	10
S-2022	10
S-2023	10
S-2024	10
S-2029-N	10
S-2030-N	10
S-2032	10
S-2033	10
S-2034	10
S-2041	8
S-2044	6
S-2805	30
C-3037	8
C-3120	39
C-3736	40
C-3737	39
C-3738	39
4242	2, 4, 6, 12, 38
4242-DS	6, 38
4264	38
4278	16, 18, 38
4300	24, 26, 28, 30, 38
4347	16, 18, 38
4426	22, 38
4430	38
4446	38
4454	38
4460	38
8003	6, 8
8009	6, 8
8013	6, 8
8016	12
A-8503-2S	10, 12, 33
I-8605-1MS	33
81006	32
81008	32
81010	32
81011	32
81012	32
81013	32
81014	32
81015	32
81016	32
81017	32
81018	32
81019	32
84202-L	32
84221	32
84222	32