


Spring ALL NEW REVIEW


■ **J&N** introduces their new Web catalog and Web site, which offers electrical remanufacturers an easy way to find and order parts using: searches for part numbers; bills of materials; searches by product categories; and printable popular unit breakdowns. Customers access real time inventories and see costs before ordering. Call (513) 771-8000 or e-mail info@jnelectric.com.



■ VRH2000-44 for Hitachi—**Regitar-USA** has the regulator for Lester 13760 on Nissan Altima, 13778 on Frontier, and 13827 on Sentra. See it as PIC no. 8004-1556 in KwikFinder by Lester Catalog. Use info@regitar.com or call (877) 374-4827.




■ VRMD04 for Mando—**Regitar-USA** replaces Mando 42785, 3ER1071 and seen as PIC no. 8093-6000 in KwikFinder by Lester Catalog, this regulator fits Lester 12174 on Mercury Marine, OMC and Mercruiser. Use info@regitar.com or call (877) 374-4827.




■ RB-107H for Bosch—**Regitar-USA** for European Bosch application on VW California coach, SEAT Alhambra van, in the U.K., Galaxy and Skoda. Services Bosch 0-120-510, -054, -056, and -065. Use info@regitar.com or call (877) 374-4827 for further details on this and other items designed for the European market.




■ **Monmary Corporation** announces a new replacement Nippondenso rectifier in their broad inventory of components for the rebuilding industry. The new 144-9750 (Lester no. 13410, 13687, 13791) is designed for 100 to 110 amp applications and has 8-50 amp diodes and copper heat sinks. For more information call (800) 354-0132 or e-mail monmarycrp@aol.com.




■ **Monmary Corporation** announces a new replacement Delco rectifier available in their broad inventory of components. The new 41-96871 (ref. no. DR6871) designed for Daewoo-Delphi alternator applications has 6-50 amp avalanche diodes and welded leads, heavy duty trio and capacitor. For more information call (800) 354-0132 or e-mail monmarycrp@aol.com.



■ **Monmary Corporation** announces a new replacement Hitachi 125 amp rectifier for IR/IF alternators in their broad inventory of components for the rebuilding industry. The new 89-98142 (ref. no. 31-8142, IHR773) Hitachi rectifier has 8-40 amp avalanche diodes. For more information call (800) 354-0132 or e-mail monmarycrp@aol.com.



■ Insulate your clamping tools and protect items to be soldered from shorts while redirecting the heat to your weld joint. Our sleeving is sold in six inch lengths and is used for insulating hemo-stats or locking pliers, preventing shorting out of the solder joint. Call **Vensel Enterprises** at (800) 662-6099 or e-mail us at vensel7@comcast.net.



■ Salvage smarter, knowing the parts you are using are good and will last. **Vensel Enterprises** introduces our new ground fault analyzer. It will allow you to know not only that there is leakage, but how much AC leakage to ground or between coils there is in your components. Call (800) 662-6099 or e-mail vensel7@comcast.net.




■ Use one tester to test rotors, stators, diodes and avalanche diodes and also ground test armatures, rotors, stators, field cases, and commutator end frames with 500 volts AC. This six-in-one component tester will fit all size shops. Call **Vensel Enterprises** at (800) 662-6099 or e-mail vensel7@comcast.net for more information.



■ **Automotive Product Research, Inc.** has announced the introduction of ALTF

9001-T, 4 oz. dielectric gel tube, approved by the OE. In addition, they now have available ALTF 9100-R, one-pound silver solder roll. For more information call (630) 539-7683 or e-mail info@apr-inc.com.



■ **Elpar** conversion program—We have a unique program updated daily, we take hard to find and expensive units and fit Denso style replacements to fit in place of these and the range is vast. These are tried and tested on engines before being released. Call (877) 885-8854. E-mail: elparind@aol.com.

■ Introducing **Lester Catalog's** newest software release, Kwik-Finder Electronic Catalog-Version 16.0. Includes Lester's entire database of applications, interchanges, bill of materials with suppliers' part number, pictures and more. This

electronic catalog offers the most complete collection of information and pictures on the market. Call Lester Catalog at (530) 823-0963 or e-mail dennis@lester-catalog.com for more information.



■ **WAI** now offers new 8LHA series, 140A/12V alternators. Both 1-2429-00MO dual foot J-180 (replaces 110-555) and 1-2532-00MO 4-point pad mount (replaces 110-555P) designs are available. For a complete listing of all WAI/WRS distributors phone (800) 877-3340.



■ **Transpo's** final generation of CS-series regulators with ASVR technology (all silicon voltage regulator) are now available. With OE compliant functions and performance, these regulators feature all welded construction with zero solder joints for high-temperature reliability and increased field life. Transpo products are

available from all WAI/WRS distributors—phone (800) 877-3340.




■ **Transpo's** VRC101-31 regulator test signal-supply provides true PWM signal for testing late Ford 4G/6G, Marelli and Mitsubishi regulators requiring RC signal input. Regulator references include Ford XW4U-10C359-AA, YF1U-10C359-AA, Marelli 85562541, 85582601, Mitsubishi 529, A866T52970. Transpo products are available from all WAI/WRS distributors. Phone (800) 877-3340 for a complete listing.




■ Looking for a simple, powerful aid in the diagnosis of automotive wiring problems? AutoElectricPro.com might be your answer. The lookup is simple and you can print the whole schematic, or zoom in on the portion you need; a member service of the **Automotive**


Parts Remanufacturers Association. Call Mark Kothe at kothe@buyreman.com.



■ Now available from **ECS/Krug** are the brushes and brush holder assembly for Delco PG260B, C, and D series starters, Lester numbers 6491, 6493, 6494, and 6495. For more information, please contact Steve Kurtzer at steve@pfi-parts.com.



■ **Electro-Dyn Electronics** is proud to announce our new high power 3G rectifier engineered for Ford applications that require superior performance under continuous peak power demand. Our patent pending design provides higher power by optimizing A/C to D/C current conversion, instead of generating wasteful heat. Contact Tim DePetrus at (800) 716-8747 for more details.



■ **DuBois Marketing** introduces Rust Reaper, the multi purpose lubricant that is safer, greener and ideal for the rebuilding industry. Rust Reaper penetrates, lubricates, prevents rust and is friendly to our environment. A little Rest Reaper will go a long way toward solving all your lubrication challenges. For more information call (800) 253-5654.



■ **DuBois Marketing** is now stocking the closed end bearing for Delco's 33/34SI alternators. These OEM needle bearing provide superior longevity and the confidence to provide units for the most demanding applications. OEM ref. no. 10500462. For more information call DuBois Marketing at (800) 253-5654.



■ Now available from **Dixie Electric** for both gear and belt drive 50DN units is an improved 50DN stator. Designed to ease the assembly process, a terminal block holds the studs in place. Flexible leads allow for easy terminal alignment and

reduced failure caused by vibration. Direct replacement for solid and flex lead designs. Call (800) 478-0608 or e-mail sales@dixie-electric.com.



■ **Dixie Electric** is pleased to announce heavy duty PLGR starter motors—45 series units are new replacements for Delco 30, 35, 37, 39 and 41MT series. Compact and lightweight, only 24 pounds. Planetary gear reduction provides maximum torque and heavy duty positorque drives provide reliability. Call (800) 478-0608 or e-mail sales@dixie-electric.com.




■ New from **Elpar**, full parts breakdowns for many hard to find units such as Nikko, Mitsubishi, Hitachi, Bosch, Lucas. We have many different service parts available for these units that do not appear in any listings. Call us with your OEM numbers and let us do the hard work for you. Call (877) 885-8854. E-mail: elparind@aol.com.

■ **Dixie Electric** announces the availability of heavy duty PLGR starter motors.

Compact and lightweight, only 31 pounds—55 series units are new replacements for Delco 39, 39HD, 40 and 42MT, Denso 2F, P series, Prestolite/Leece Neville M, MS series. Designed to be used with any 42MT drive end. Call (800) 478-0608 or e-mail sales@dixie-electric.com.



■ **JIMCO** announces a new test lead for Delphi, Bosch and Valeo alternators with 2-terminal connector plugs marked "L" and "F" as used on Saturn and 2005 and up General Motors vehicles. The TB97 is specifically designed to correctly test the alternator and "no charge" indicator light function. Call (800) 821-7137 or e-mail jimcoinc@aol.com.




■ **Wagner Alternators** is proud to announce a new product to its line of alternator small parts. Wagner's no. W115-158 for Hitachi is designed for late model Nissan and Infiniti applications. This rectifier deflector is used on alternator units: LR1100-703, 711, 711B, 734, LR1110-705, 705B and more. For more

information, call Wagner Alternators at (800) 345-5927.



■ **Wagner Alternators** announces yet another new addition to its extensive line of import Mando internal fan rectifiers. W065-196 is designed for late model Hyundai XG300; 90mm OD with a 8mm B+ terminal, using 8-30amp block diodes. For additional information please call Wagner Alternators at (800) 345-5927.



■ **Wagner Alternators** is pleased to announce the addition of W085-238 to its line of import Mando internal fan regulators. Newly available for the 2000 to 2001 Hyundai Santa Fe 2.4ltr is a 12 volt, 60A regulator with a 4 pin configuration (D-L-S-D). Call Wagner Alternators at (800) 345-5927.



■ **AIM** has just released their 2006 Application Guide Xtreme catalog (order no. AG-06X). This new 682-page catalog

contains applications up to 2006, 2,325 pictures, OEM and competitor interchanges, and a buyer's guide listing. The catalog shows all 13,520 lines of automotive applications from 1942 to 2006. Call (800) 366-3246 for more information.

■ **Viking Blast & Wash Systems** is happy to announce the release of the WH48 wheel and rim blaster. It can remove paint and rust from wheels and rims ranging in size from 12-inch diameter up to 26 feet in diameter, and can shot blast approximately 110 painted truck rims per eight hour shift. Call (800) 835-1096 or e-mail sales@vikingcorporation.com.



■ **Nashville Distribution Center** is happy to announce the availability of a heavy duty CS130D and CS130 rotor with low turn on. Works well with most high amp starters. We are R & R rewinding Honda Goldwing rotors. For more information call (615) 452-2313 or e-mail ndci@bell south.net.

■ **Elreg** introduces their DC to DC converter. Its specifications include—Input

Voltage: 24-48 Vdc; Output Voltage: 12.5 Vdc ~ 0.5 Vdc; Optimum Temperature Range: 0 to 40 degrees C; Maximum Output: 300W (25 amps); Thermal Protection Dimension: 175mm x 132mm x 68mm. Features epoxy-sealed circuitry, hard-wired connections, and simplified wiring. For more information call (905) 336-8830.



■ **IAT** has expanded their Valeo products line. Now offering alternators and parts for GM models up to 2006. This new line of Valeo also includes extended coverage of units/parts for applications such as Hyundai, Kia and Nissan as well. For more information call IAT at (800) 872-8890 or e-mail sales@iat-usa.com.



■ **IAT** announces availability of a new line of decoupler pulleys for applications

such as Chrysler, Toyota, Saab, GM, Jeep and John Deere. Also soon to arrive clutch pulleys for Bosch alternators manufactured by INA. For more information call IAT at (800) 872-8890 or e-mail sales@iat-usa.com.



■ **IAT** has introduced their new 2006 Valeo catalog for starters and alternators. Coverage includes applications for automotive, industrial, agricultural and marine. Also available, IAT's new updated industrial and marine starters and alternators catalog. These catalogs offer cross reference from OEM to IAT part numbers. For more information call (800) 872-8890 or e-mail sales@iat-usa.com.



■ **Elpar Industries** introduces two new catalogs—industrial, marine and agricul-


tural starters and alternators—A complete and comprehensive guide on heavy duty units with pictures and a full cross reference. Small starter motors, featuring units for Briggs, Kohler, Onan, Tecumseh, OMC, Mercury Marine. Toll Free: (877) 885-8854. E-mail: elparind@aol.com.

■ **HC/Cargo** introduces new updated product catalogs. The 15th edition includes Part 1: Alternators, Generators, Starters, etc.; Part 2: Alternator & Generator Components; Part 3: Starter & Dyna-Starter Components; and Part 5: Cross Reference for Catalogs Part 2 & 3. Please check your current editions and call (800) 303-3170 if you need updates.



■ **Transmet Corporation** has introduced cast zinc shot to their line of shot blasting products. Zinc shot gives aluminum parts a shiny, polished appearance with no profiling of the surface. Used as a final blast after initial cleaning, Transmet's zinc shot "finishes the job." Call (614) 276-5522 or e-mail sales@transmet.com.

■ **HC/Cargo** is introducing a universal tool for the new generation of compact alternators. It is indispensable when it comes to skimming and changing of slip rings on rotors where the slip ring is placed beyond the rotor shaft and helps obtain the best possible support and centering of the rotor. Call (800) 303-3170 or e-mail cargo@cargo-us.com.



■ **Accumax Auto Parts** announces the release of the Duramax diesel solenoid no. 10-HI421 with the following specifications: Description/Replaces-Hitachi, 12 volt, 3 terminal; Fits-Hitachi S14-100D, 100E, 101AR, GM97209548, 97720446; For-Hitachi starter for the 2001 to 2003 Chevy GMC light trucks with the 6.6L Duramax diesel engine. Call (866) 624-8886 for more information.



■ **Accumax Auto Parts** announces the release of product number 11-BE1087 with the following specifications: Description/Replaces-Belarus tractor drive 10T, CW, 6SPL, late style; Fits—Belarus tractor; Industry reference

no. 220-42000, CT352D-370-8600-3; Specs-Belarus tractor drive 10T, CW, 6SPL, late style. Call (866) 624-8886 for more information.



■ **Accumax Auto Parts** announces the release of the Belarus tractor drive 10T, CW, 4SPL, early style; product number 11-BE1086 with the following specifications: Description/Replaces-Belarus tractor drive 10T, CW, 4SPL, early style; Fits: Belarus tractor; Industry reference no. 220-42001, CT212-370-8600; Call (866) 624-8886 for more information.



■ **HC/Cargo** is introducing regulator/rectifier combinations for small engines. Several combinations are available for Kohler, Kubota, John Deere, Grasshopper, Honda lawn engines, Kawasaki movers, Mercury Marine. Call (800) 303-3170 or e-mail cargo@cargo-us.com and ask for marketing update number 26.

■ An improved lineup of 19SI and 23SI medium to heavy duty alternators is now available from **RCP, Inc.** Designed for applications in the off-road, industrial or agricultural fields, these alternators feature load dump protection, heavy duty

bearings and RFI suppression. Replaces Delco 19SI—1900957, -8, -8P, and 23SI—19011003, -4, -9, and -19. Contact us at (905) 660-7274.



■ **Taditel** announces the introduction of AD, CS130D, 3G, 4G, and 6G rectifiers. All Taditel rectifiers are welded (except 4G) and made with OE grade materials and diodes. The AD rectifiers have a unique battery post design for ease of installation. Call your distributor for Taditel rectifiers.

■ Introducing two new regulators added to the **Taditel** product line: The first is T751 (19009751) used in water-cooled alternator applications. The second is T757 (19009757) used in Saturn alternator applications. Both regulators have the same advanced technology used in all Taditel products. Call your distributor for these new products.

■ Now available from **Taditel**—two new high quality, self exciting regulators. The new part numbers include T437SE (411) and T719SE (702). Call your distributor for Taditel regulators.